

AZZARDO®

Collection 2026/2027

track systems



AZZARDO®

Track Systems



TRACK 1LINE

TRACK ILINE INSTALLATION SCHEME



TRACK ILINE (1m, 1,5m, 2m, 3m)

Length/Color/Code			
● 1m	black	AZ4729
○ 1m	white	AZ4728
● 1,5m	black	AZ4731
○ 1,5m	white	AZ4730
● 2m	black	AZ4733
○ 2m	white	AZ4732
● 3m	black	AZ4735
○ 3m	white	AZ4734



TRACK ILINE SET+ END POWER + END CAP

Length/Color/Code			
● 1m	black	AZ4723
○ 1m	white	AZ4722
● 1,5m	black	AZ4725
○ 1,5m	white	AZ4724
● 2m	black	AZ4727
○ 2m	white	AZ4726
● 3m	black	AZ4795
○ 3m	white	AZ4794



TRACK ILINE STRAIGHT CONNECTOR POWER

Color/Code			
● black		AZ5567
○ white		AZ5568




TRACK ILINE END POWER

Color/Code			
● black		AZ4743
○ white		AZ4742



TRACK ILINE STRAIGHT CONNECTOR

Color/Code			
● black		AZ4737
○ white		AZ4736



TRACK ILINE L CONNECTOR

Color/Code			
● black		AZ4739
○ white		AZ4738



TRACK ILINE T CONNECTOR

Color/Code			
● black		AZ4741
○ white		AZ4740




TRACK ILINE END CAP

Color/Code			
● black		AZ4745
○ white		AZ4744


TRACK ILINE ELECTRIC ADAPTER

Color/Code

- black AZ4749
- white AZ4748


TRACK ILINE PENDANT ACCESSORY 1.5M

Length/Color/Code

- 1,5m black AZ4747
- 1,5m white AZ4746


CEILING PLATE + WIRE

Length/Color/Code

- 2m black AZ4780
- 2m white AZ4782




ALIA BASE TRACK 1LINE




Voltage - 230V	Light source 1 x GU10 only LED	Protection level IP20
-------------------	-----------------------------------	--------------------------

Material Aluminum	Finish Matt
----------------------	----------------



- black AZ 6222
- white AZ 6223



We recommend: EXCLUSIVE BULBS SERIES



3000K	AZ 6054	3000K	AZ 6386	3000K	AZ 6052
4000K	AZ 6055	4000K	AZ 6387	4000K	AZ 6053

ALIA EXAMPLE SETS



AZ6222 + AZ6226



AZ6222 + AZ6227



AZ6222 + AZ6229



AZ6223 + AZ6225




AZ6223 + AZ6226



AZ6223 + AZ6228

ALIA base track 1line



ALIA base track 1line

- black AZ 6222
- white AZ 6223


ALIA rings



ALIA rings

- black AZ 6224
- white AZ 6225
- chrome AZ 6226
- black / chrome AZ 6227
- brushed / gold AZ 6228
- gold AZ 6229

ALIA base + ring




LUCAS BASE TRACK ILINE



Voltage - 230V	Light source 1 x GU10 only LED	Protection level IP20
-------------------	-----------------------------------	--------------------------

Material Aluminum	Finish Matt
----------------------	----------------



- black AZ6101
- white AZ6100




LUCAS BASE TRACK ILINE PENDANT




Voltage - 230V	Light source 1 x GU10 only LED	Protection level IP20
-------------------	-----------------------------------	--------------------------

Material Aluminum	Finish Matt
----------------------	----------------

- black AZ6152
- white AZ6153



LUCAS RIBBED TUBE



Lucas Ribbed Tube
black

- 9cm AZ6126
- 20cm AZ6399
- 30cm AZ6138
- 40cm AZ6142
- 50cm AZ6146

Lucas Ribbed Tube
bronze

- 9cm AZ6129
- 20cm AZ6402
- 30cm AZ6141
- 40cm AZ6145
- 50cm AZ6149

Lucas Ribbed Tube
gold

- 9cm AZ6128
- 20cm AZ6401
- 30cm AZ6140
- 40cm AZ6144
- 50cm AZ6148

Lucas Ribbed Tube
white

- 9cm AZ6127
- 20cm AZ6400
- 30cm AZ6139
- 40cm AZ6143
- 50cm AZ6147

LUCAS SMOOTH TUBE



Lucas Smooth Tube
black

- 9cm AZ6115
- 20cm AZ6117
- 30cm AZ6121
- 40cm AZ6123

Lucas Smooth Tube
white

- 9cm AZ6114
- 20cm AZ6116
- 30cm AZ6120
- 40cm AZ6122

LUCAS BASE TRACK ILINE EXAMPLE SETS



AZ6101 + AZ6126



AZ6101 + AZ6115



AZ6101 + AZ6128



AZ6100 + AZ6127



AZ6100 + AZ6114



AZ6100 + AZ6128

LUCAS BASE TRACK ILINE PENDANT



AZ6152 + AZ6126



AZ6153 + AZ6127



AZ6152 + AZ6128




EXO TRACK ILINE GU10




Voltage - 230V	Light source 1 x GU10	Protection level IP20
-------------------	--------------------------	--------------------------

Material Aluminum	Finish Matt
----------------------	----------------



- black AZ4660
- white AZ4661




LOLO TRACK ILINE GU10




Voltage - 230V	Light source 1 x GU10	Protection level IP20
-------------------	--------------------------	--------------------------

Material Aluminum / PVC	Finish Matt
----------------------------	----------------




- black AZ4654
- white AZ4655



PLAIN TRACK ILINE 3000/4000K NEW

Voltage - 230V	Light source 1 x LED Integrated	Power 10W
Lumens 1171lm 1014lm	Kelvins 3000K 4000K	Beam angle 24° 24°
Protection level IP20	Material Aluminum / PVC	Finish Matt

- 3000K black AZ6865 NEW
- 3000K white AZ6864 NEW
- 4000K black AZ6863 NEW
- 4000K white AZ6862 NEW





JERRY TRACK ILINE



Voltage - 230V	Light source 1 x ESI11 - GU10	Protection level IP20
Material Aluminum	Finish Matt	

- black AZ4666
- white AZ4667





KIRKE TRACK ILINE 10W CCT



Voltage - 230V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000/4000/6500K	Beam angle 36°
Protection level IP20	CCT Yes	Type of control CCT switch
Material Aluminum / PVC	Finish Matt	


- black AZ4656
- white AZ4657





TRACK 3LINE

TRACK 3LINE INSTALLATION SCHEME



TRACK 3LINE (1m, 1,5m, 2m, 3m)

Length/Color/Code	● 1m	black	AZ2973
	○ 1m	white	AZ2974
	● 1,5m	black	AZ3000
	○ 1,5m	white	AZ2999
	● 2m	black	AZ2975
	○ 2m	white	AZ2976
	● 3m	black	AZ4272
	○ 3m	white	AZ4271



TRACK 3LINE SET+ END POWER + END CAP (1m, 1,5m, 2m)

Length/Color/Code	● 1m	black	AZ2987
	○ 1m	white	AZ2991
	● 1,5m	black	AZ3001
	○ 1,5m	white	AZ3002
	● 2m	black	AZ2992
	○ 2m	white	AZ2988



TRACK 3LINE GIPS (1m, 2m, 3m)

Length/Color/Code	● 1m	black	AZ4290
	○ 1m	white	AZ4289
	● 2m	black	AZ4292
	○ 2m	white	AZ4291
	● 3m	black	AZ4294
	○ 3m	white	AZ4293



TRACK 3LINE 1m COVER

Length/Color/Code	● 1m	black	AZ5522
	○ 1m	white	AZ5521



END POWER (Left, Right)

Side/Color/Code	● left	black	AZ4284
	○ left	white	AZ4283
	● right	black	AZ4116
	○ right	white	AZ4117



L CONNECTOR (Left, Right)

Side/Color/Code	● left	black	AZ2985
	○ left	white	AZ2986
	● right	black	AZ2983
	○ right	white	AZ2984



T CONNECTOR (Left, Right)

Side/Color/Code	● left	black	AZ4276
	○ left	white	AZ4275
	● right	black	AZ4278
	○ right	white	AZ4277



POWER

Color/Code	● black	AZ4274
	○ white	AZ4273

**X CONNECTOR**


Color/Code

- black AZ4280
- white AZ4279

**POWER ADJUSTABLE CONNECTOR**

Color/Code

- black AZ4286
- white AZ4285

**TRACK 3LINE PENDANT ACCESSORY (1,5m)**

Length/Color/Code

- 1,5m black AZ4797
- 1,5m white AZ4796

**CEILING PLATE + WIRE**

Color/Code

- black AZ4780
- white AZ4782

**FLEXIBLE CONNECTOR**

Color/Code

- black AZ4282
- white AZ4281

**END POWER GIPS (Left, Right)**

Side/Color/Code

- left black AZ4310
- left white AZ4309
- right black AZ4304
- right white AZ4303

**L CONNECTOR GIPS (Left, Right)**

Side/Color/Code

- left black AZ5438
- left white AZ5437
- right black AZ4298
- right white AZ4297

**T CONNECTOR GIPS (only Right)**


Side/Color/Code

- right black AZ4300
- right white AZ4299

**POWER GIPS**

Color/Code

- black AZ4296
- white AZ4295

**X CONNECTOR GIPS**

Color/Code

- black AZ4302
- white AZ4301



MINI SIMPLE CONNECTION

Color/Code

- black AZ2981
- white AZ2982



END CAP

Color/Code

- black AZ4288
- white AZ4287



END CAP GIPS

Color/Code

- black AZ5442
- white AZ5441



TRACK 3LINE ELECTRIC ADAPTER

Color/Code


- black AZ3003
- white AZ3012



TRACK 3LINE DIAGRAM

Diagram showing the correct way to connect accesories to busbars (TRACK 3LINE)

The orange line indicates polarity of the system (observe earth contact)




ALIA BASE TRACK 3LINE




Voltage - 230V	Light source 1 x GU10 only LED	Protection level IP20
-------------------	-----------------------------------	--------------------------

Material Aluminum	Finish Matt
----------------------	----------------



- black AZ 6 216
- white AZ 6 217



We recommend: EXCLUSIVE BULBS SERIES



3000K	AZ 6 054	3000K	AZ 6 386	3000K	AZ 6 052
4000K	AZ 6 055	4000K	AZ 6 387	4000K	AZ 6 053

ALIA EXAMPLE SETS



AZ6216 + AZ6226



AZ6216 + AZ6227



AZ6216 + AZ6229



AZ6217 + AZ6225



AZ6217 + AZ6226




AZ6217 + AZ6228

ALIA
base track 3Line

ALIA
tubes

ALIA
base + tube




ALIA
base track 3Line

- black AZ 6 216
- white AZ 6 217




ALIA
tubes

- black AZ 6 224
- white AZ 6 225
- chrome AZ 6 226
- black / chrome AZ 6 227
- brushed / gold AZ 6 228
- gold AZ 6 229




LUCAS BASE TRACK 3LINE



Voltage - 230V	Light source 1 x GU10 only LED	Protection level IP20
-------------------	-----------------------------------	--------------------------

Material Aluminum	Finish Matt
----------------------	----------------



- black AZ6103
- white AZ6102


LUCAS BASE TRACK 3LINE PENDANT




Voltage - 230V	Light source 1 x GU10 only LED	Protection level IP20
-------------------	-----------------------------------	--------------------------

Material Aluminum	Finish Matt
----------------------	----------------

- black AZ6154
- white AZ6155



LUCAS RIBBED TUBE



Lucas Ribbed Tube
black

- 9cm AZ6126
- 20cm AZ6399
- 30cm AZ6138
- 40cm AZ6142
- 50cm AZ6146

Lucas Ribbed Tube
bronze

- 9cm AZ6129
- 20cm AZ6402
- 30cm AZ6141
- 40cm AZ6145
- 50cm AZ6149

Lucas Ribbed Tube
gold

- 9cm AZ6128
- 20cm AZ6401
- 30cm AZ6140
- 40cm AZ6144
- 50cm AZ6148

Lucas Ribbed Tube
white

- 9cm AZ6127
- 20cm AZ6400
- 30cm AZ6139
- 40cm AZ6143
- 50cm AZ6147

LUCAS SMOOTH TUBE



Lucas Smooth Tube
black

- 9cm AZ6115
- 20cm AZ6117
- 30cm AZ6121
- 40cm AZ6123

Lucas Smooth Tube
white

- 9cm AZ6114
- 20cm AZ6116
- 30cm AZ6120
- 40cm AZ6122

LUCAS BASE TRACK 3LINE EXAMPLE SETS



AZ6103 + AZ6126



AZ6103 + AZ6115



AZ6103 + AZ6128



AZ6102 + AZ6127



AZ6102 + AZ6114



AZ6102 + AZ6128

LUCAS BASE TRACK 3LINE PENDANT



AZ6154 + AZ6126



AZ6155 + AZ6127



AZ6154 + AZ6128





EREBUS TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	

- black AZ3391
- white AZ3390




EXO TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium	Finish Matt	

- black AZ3199
- white AZ3200



EREBUS
base track 3Line

EREBUS
base track 3Line

- black AZ3391
- white AZ3390

EREBUS
tubes

EREBUS
tubes 14

- black AZ3384
- white AZ3383
- gold AZ3385

EREBUS
tubes 21

- black AZ3387
- white AZ3386
- gold AZ3388

EREBUS
base + tube




JERRY TRACK 3LINE




Voltage 230V	Light source 1 x ESIII - GU10 only LED	Protection level IP20
-----------------	----------------------------------------------	--------------------------

Material Aluminium / PVC	Finish Matt
-----------------------------	----------------



- black AZ2458
- gold AZ5237
- white AZ2459





JANE TRACK 3LINE GU10




Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
-----------------	-----------------------------------	--------------------------

Material Aluminium	Finish Matt
-----------------------	----------------




- black AZ2457
- white AZ2460





EIGER TRACK 3LINE GUI0



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	




- black AZ4205
- black/gold AZ4206
- gold AZ5238
- white AZ4204




MEGARA TRACK 3LINE GUI0



Voltage 230V	Light source 2 x GU10 only LED	Protection level IP20
Material Aluminium	Finish Matt	



- black AZ4443
- white AZ4442





LOLO TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	

- black AZ4577
- white AZ4578





LENS TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium	Finish Matt	

- black AZ3511
- black/gold AZ3512
- white AZ3510





BROSS ARM TRACK 3LINE GU10



Azzardo patent EU

Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium	Finish Matt	

- black AZ3501
- white AZ3500





GULIA TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	

- black AZ4710
- gold AZ4711
- white AZ4709





SKYE TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 60°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4520
- white AZ4519




SANTOS TRACK 3LINE GU10



Voltage 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	

- black AZ4203
- white AZ4202





SANTOS TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 37°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4183
- white AZ4184
- black/gold AZ2924
- white/gold AZ2925





tilt rotation

SANTOS SQUARE TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 25°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ3525
- white AZ3524



tilt rotation





COSTA ARM TRACK 3LINE 12W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ3486
- white AZ3487





COSTA TRACK 3LINE 12W 3000/4000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K 4000K	Beam angle 25°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ4550
- 3000K white AZ4549
- 4000K black AZ4552
- 4000K white AZ4551





LOTTE TRACK 3LINE 25W CCT SWITCH



Voltage 230V	Light source 1 x LED Integrated	Power 25W
Lumens 2000lm	Kelvins 3000 / 4000 / 6500K	Beam angle 37°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ6088





KIRKE TRACK 3LINE 10W CCT



Voltage 230V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000/4000/6000K	Beam angle 40°
CRI ≥ 80	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ4658
- white AZ4659





TIVOLI TRACK 3LINE 10W 3000/4000K



Voltage 230V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 25° 25°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ2224
- 3000K white AZ2222
- 4000K black AZ2225
- 4000K white AZ2223



FOCUS TRACK 7W 3LINE





Adjustable
beam angle 12° - 50°



Voltage 230V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000 / 6000K	Beam angle 12° - 50°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ6083
- white AZ6082





GALILEO TRACK 3LINE 15W 3000K

Adjustable
beam angle 10° - 40°

Voltage 230V	Light source 1 x LED Integrated	Power 15W
Lumens 800lm	Kelvins 3000K	Beam angle 10° - 40°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- black AZ4067
- white AZ4066



tilt rotation





PIXEL TRACK 3LINE CCT SWITCH

Adjustable
beam angle 20° - 60°

CCT SWITCH

Voltage 230V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 / 4000 / 6000K	Beam angle 20° - 60°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ6044
- white AZ6045



tilt rotation



LUMI TRACK 3LINE 5W 3000K





Adjustable
beam angle 15° - 70°



Voltage 230V	Light source 1 x LED Integrated	Power 5W
Lumens 800lm	Kelvins 3000K	Beam angle 15° - 70°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4557
- white AZ4558



LUMI FLEX TRACK 3LINE 5W 3000K




Adjustable
beam angle 15° - 70°



Voltage 230V	Light source 1 x LED Integrated	Power 5W
Lumens 800lm	Kelvins 3000K	Beam angle 15° - 70°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4559
- white AZ4560





MIKKA TRACK 3LINE 24W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000K	Beam angle 108°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

● black AZ4516



tilt rotation





MONA TRACK 3LINE 12W 3000/4000K



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K 4000K	Beam angle 103° 103°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

● 3000K black AZ4542
○ 3000K white AZ4541
● 4000K black AZ4543
○ 4000K white AZ4544





tilt rotation

MONA TRACK 3LINE 18W 3000K



Voltage 230V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000K	Beam angle 105°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

● black AZ4547
○ white AZ4548





tilt rotation

LINNEA 29 TRACK 3LINE 12W CCT



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000/4000/6000K	Beam angle 120°
CRI ≥ 80	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ4563
- white AZ4564




LINNEA 86 TRACK 3LINE 36W CCT



Voltage 230V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000/4000/6000K	Beam angle 120°
CRI ≥ 80	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ4567
- white AZ4568




LINNEA 57 TRACK 3LINE 24W CCT



Voltage 230V	Light source 1 x LED Integrated	Power 24W
Lumens lm	Kelvins 3000/4000/6000K	Beam angle 120°
CRI ≥ 80	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ4565
- white AZ4566




TANKER TRACK 3LINE 18W CCT SWITCH



CCT SWITCH

Voltage 230V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 / 4000 / 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ5980




TANKER TRACK 3LINE 40W CCT SWITCH




CCT SWITCH

Voltage 230V	Light source 1 x LED Integrated	Power 40W
Lumens 3200lm	Kelvins 3000 / 4000 / 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ5982




TANKER TRACK 3LINE 30W CCT SWITCH




CCT SWITCH

Voltage 230V	Light source 1 x LED Integrated	Power 30W
Lumens 2400lm	Kelvins 3000 / 4000 / 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ5981




SPACE TRACK 3LINE 16W CCT SWITCH



Voltage 230V	Light source 1 x LED Integrated	Power 16W
Lumens 1280lm	Kelvins 3000 / 4000 / 6000K	Beam angle 30°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ6056




SPACE TRACK 3LINE 30W CCT SWITCH



Voltage 230V	Light source 1 x LED Integrated	Power 30W
Lumens 2400lm	Kelvins 3000 / 4000 / 6000K	Beam angle 30°
CRI ≥ 90	Protection level IP20	CCT Yes
Type of control CCT Switch	Material Aluminium / PVC	Finish Matt

- black AZ6057





LEON TRACK 3LINE



Voltage 230V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 31°
CRI ≥ 80	Protection level IP20	Material Aluminium
Finish Matt		


- black AZ3491
- white AZ3490






**ALFA
TRACK MAGNETIC**


ALFA TRACK MAGNETIC INSTALLATION SCHEME



ALFA TRACK MAGNETIC INSTALLATION SCHEME

ALFA TRACK MAGNETIC27 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)


Length/Color/Code			
● 1m	black	AZ4713
○ 1m	white	AZ4712
● 1,5m	black	AZ4715
○ 1,5m	white	AZ4714
● 2m	black	AZ4717
○ 2m	white	AZ4716
● 3m	black	AZ4719
○ 3m	white	AZ4718

ALFA TRACK MAGNETIC52 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)

Length/Color/Code			
● 1m	black	AZ4638
○ 1m	white	AZ4639
● 1,5m	black	AZ4640
○ 1,5m	white	AZ4641
● 2m	black	AZ4642
○ 2m	white	AZ4643
● 3m	black	AZ4644
○ 3m	white	AZ4645

ALFA TRACK MAGNETIC52 (1m, 2m, 3m)
WITH END CAP 2x (all included) Anodised Silver

Length/Color/Code			
● 1m	silver	AZ6356
● 2m	silver	AZ6359
● 3m	silver	AZ6362

ALFA TRACK MAGNETIC52 (1m, 2m, 3m)
WITH END CAP 2x (all included) Anodised Gold

Length/Color/Code			
● 1m	gold	AZ6355
● 2m	gold	AZ6358
● 3m	gold	AZ6361

ALFA TRACK MAGNETIC52 (1m, 2m, 3m)
WITH END CAP 2x (all included) Anodised Chocolate

Length/Color/Code			
● 1m	chocolate	AZ6354
● 2m	chocolate	AZ6357
● 3m	chocolate	AZ6360



ALFA TRACK MAGNETIC52 CORNER90 A

Color/Code			
● black	AZ4679	
○ white	AZ4680	
● chocolate	AZ6363	
● gold	AZ6364	
● silver	AZ6365	


ALFA TRACK MAGNETIC52 CORNER90 B
SURFACE CORNER 90°

Color/Code			
● black	AZ4683	
○ white	AZ4684	
● chocolate	AZ6363	
● gold	AZ6364	
● silver	AZ6365	



ALFA TRACK MAGNETIC27 CORNER90 A

Color/Code			
● black	AZ5003	
○ white	AZ5004	


**ALFA TRACK MAGNETIC27 CORNER90 B
SURFACE CORNER 90°**

Color/Code	● black	AZ5001
	○ white	AZ5002


ALFA TRACK MAGNETIC52 230V CONNECTOR T A

Color/Code	● black	AZ6693	NEW
	○ white	AZ6696	NEW


ALFA TRACK MAGNETIC52 230V ELECTRICAL CONNECTOR T


Color/Code	● black	AZ6699	NEW
	○ white	AZ6700	NEW


ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC


Color/Code	● black	AZ4687
	○ white	AZ4688


ALFA TRACK MAGNETIC STRAIGHT CONNECTOR

Color/Code	● black	AZ4677
	○ white	AZ4678


ALFA TRACK MAGNETIC SUSPENSION KIT 2M

Color/Code	● black	AZ4693
	○ white	AZ4694


CEILING PLATE + WIRE

Color/Code	● black	AZ4780
	○ white	AZ4782


ALFA TRACK MAGNETIC52 COVER 1M


Color/Code	● black	AZ4652
	○ white	AZ4653

ALFA TRACK MAGNETIC27 COVER 1M

Color/Code	● black	AZ5444
	○ white	AZ5443



ALFA TRACK MAGNETIC MECHANICAL CONNECTOR

Color/Code	● black	AZ4689
	○ white	AZ4690


ALFA TRACK MAGNETIC52 END CAP

Color/Code	● black	AZ6372
	○ white	AZ6373
	● chocolate	AZ6369
	● gold	AZ6370
	● silver	AZ6371

ALFA TRACK MAGNETIC MULTI-ANGLE INSTALLATION SCHEME



ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 1

Color/Code			
● black	AZ6481	
○ white	AZ6484	

ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 2

Color/Code			
● black	AZ6482	
○ white	AZ6485	

ALFA TRACK MAGNETIC MULTI-ANGLE CONNECTOR 3

Color/Code			
● black	AZ6483	
○ white	AZ6486	

ALFA TRACK MAGNETIC INSTALLATION SCHEME

ALFA TRACK MAGNETIC52 GIPS1 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)


Length/Color/Code			
● 1m	black	AZ4863
○ 1m	white	AZ5457
● 1,5m	black	AZ4864
○ 1,5m	white	AZ5458
● 2m	black	AZ4865
○ 2m	white	AZ5453
● 3m	black	AZ5455
○ 3m	white	AZ5454

ALFA TRACK MAGNETIC52 GIPS2 (1m, 1,5m, 2m, 3m)
WITH END CAP 2x (all included)

Length/Color/Code			
● 1m	black	AZ4646
○ 1m	white	AZ4647
● 1,5m	black	AZ4648
○ 1,5m	white	AZ4649
● 2m	black	AZ4650
○ 2m	white	AZ4651
● 3m	black	AZ5460
○ 3m	white	AZ5461

ALFA TRACK MAGNETIC52 GIPS1 CORNER90 A
SURFACE CORNER 90° A

Color/Code			
● black	AZ4862	
○ white	AZ5461	


ALFA TRACK MAGNETIC52 GIPS1 CORNER90 B
SURFACE CORNER 90° B

Color/Code			
● black	AZ5463	
○ white	AZ5462	




ALFA TRACK MAGNETIC52 CONNECTOR T GIPS1


Color/Code	● black	AZ6694	NEW
	○ white	AZ6697	NEW

ALFA TRACK MAGNETIC52 GIPS2 CORNER90 A
SURFACE CORNER 90° A

Color/Code	● black	AZ4681
	○ white	AZ4682

ALFA TRACK MAGNETIC52 GIPS2 CORNER90 B
SURFACE CORNER 90° B

Color/Code	● black	AZ4685
	○ white	AZ4686




ALFA TRACK MAGNETIC52 CONNECTOR T GIPS2

Color/Code	● black	AZ6695	NEW
	○ white	AZ6698	NEW



ALFA TRACK MAGNETIC MECHANICAL CONNECTOR



Color/Code	● black	AZ4689
	○ white	AZ4690



ALFA TRACK MAGNETIC52 END CAP

Color/Code	● black	AZ6372
	○ white	AZ6373

ALFA TRACK MAGNETIC INSTALLATION SCHEME

ALFA TRACK MAGNETIC EASYFIX (1m, 1,5m, 2m, 3m)
Very Easy To Instal!

Length/Color/Code	● 1m	black	AZ5676
	● 1,5m	black	AZ5677
	● 2m	black	AZ5678
	● 3m	black	AZ5679



ALFA TRACK MAGNETIC EASYFIX SPRINGS (x3, x4, x5, x7)

Quantity/Color/Code	● x3	aluminium	AZ5680
	● x4	aluminium	AZ5681
	● x5	aluminium	AZ5683
	● x6	aluminium	AZ5684

BETA/ALFA TRACK MAGNETIC50 EASYFIX 230V
MOUNTING PLATE

Color/Code	● aluminum	AZ6070
------------	------------	-------	--------



ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

Color/Code	● black	AZ4687
	○ white	AZ4688



ALFA TRACK MAGNETIC STRAIGHT CONNECTOR

Color/Code	● black	AZ4677
	○ white	AZ4678



ALFA TRACK MAGNETIC EASYFIX CORNER A

Color/Code	● black	AZ5688
------------	---------	-------	--------



ALFA TRACK MAGNETIC EASYFIX COVER 1m

Length/Color/Code	● 1m	black	AZ5686
-------------------	------	-------	-------	--------



ALFA TRACK MAGNETIC EASYFIX STRAIGHT CONNECTOR



Color/Code	● black	AZ5685
------------	---------	-------	--------



ALFA TRACK MAGNETIC EASYFIX END CAP


Color/Code	● black	AZ5687
------------	---------	-------	--------

ALFA TRACK MAGNETIC INSTALLATION SCHEME



ALFA TRACK MAGNETIC STRETCH (1m, 2m, 3m)

Length/Color/Code	● 1m	black	AZ5836
	● 2m	black	AZ5837
	● 3m	black	AZ5838



ALFA TRACK MAGNETIC STRETCH CORNER90

Color/Code	● black	AZ5839
------------	---------	-------	--------




ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC

Color/Code	● black	AZ4687
	○ white	AZ4688



ALFA TRACK MAGNETIC STRETCH CONNECTOR 90 x 4

Color/Code ● black AZ5840




ALFA TRACK MAGNETIC STRETCH END CAP

Color/Code ● black AZ5841




ALFA TRACK MAGNETIC STRAIGHT CONNECTOR ELECTRIC

Color/Code ● black AZ4677
○ white AZ4678



ALFA TRACK MAGNETIC DRIVER ELECTRIC CONNECTOR

Color/Code ● black AZ4675
○ white AZ4676



DRIVER OUTSIDE MEANWELL REGULAR (100W, 200W, 350W)

Power/Code 100W ... AZ4691
200W ... AZ4692
350W ... AZ4866



ALFA TRACK MAGNETIC DRIVER (60W, 100W, 200W) REGULAR

Power/Color/Code ● 60W black AZ4669
○ 60W white AZ4670
● 100W black AZ4671
○ 100W white AZ4672
● 200W black AZ4673
○ 200W white AZ4674



ALFA TRACK MAGNETIC 2LINE LI DRIVER DIMM INSIDE 2LINE LI (100W, 200W)

Power/Color/Code ● 100W black AZ6352
○ 100W white AZ6682 **NEW**
● 200W black AZ6353



ALFA TRACK MAGNETIC 2LINE DRIVER INSIDE 2LINE (60+60W, 100+100W)

Power/Color/Code ● 60+60W black AZ6230
○ 60+60W white AZ6231
● 100+100W black AZ6232
○ 100+100W white AZ6233



ALFA TRACK MAGNETIC 2LINE DRIVER 2LINE DIMM INSIDE
(60+60W, 100+100W)

Power/Color/Code	● 60+60W black	AZ6234
	● 100+100W black	AZ6235
	○ 100+100W white	AZ6681 NEW



ALFA TRACK MAGNETIC 2LINE & DALI
DRIVER ELECTRIC CONNETTOR

Color/Code	● black	AZ6258
------------	---------------	--------



DRIVER OUTSIDE MEANWELL
(100W, 200W, 350W)

Power/Code	100W ...	AZ4691
	200W ...	AZ4692
	350W ...	AZ4866



ALFA TRACK MAGNETIC DALI DRIVER INSIDE (100W, 200W)

Power/Color/Code	● 100W black	AZ6305
	● 200W black	AZ6306




ALFA TRACK MAGNETIC27 NORA 12W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 23°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




ALFA TRACK MAGNETIC27 NORA 24W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




ALFA TRACK MAGNETIC27 NORA 18W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		




ALFA TRACK MAGNETIC27 SENTA 10W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 455lm	Kelvins 3000K	Beam angle 109°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

● black AZ6091




ALFA TRACK MAGNETIC27 SENTA 30W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 1400lm	Kelvins 3000K	Beam angle 109°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

● black AZ6093




ALFA TRACK MAGNETIC27 SENTA 20W 3000K



installation: ALFA Track Magnetic 27

Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 980lm	Kelvins 3000K	Beam angle 110°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

● black AZ6092




ALFA TRACK MAGNETIC IRMA 12W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ6089



tilt



ALFA TRACK MAGNETIC IRMA 18W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000K	Beam angle 24°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- black AZ6090




tilt



ALFA SAGA TRACK MAGNETIC 12W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 600lm 600lm	Kelvins 3000K 4000K	Beam angle 114° 112°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K black AZ4603
- 3000K white AZ4604
- 4000K black AZ4605
- 4000K white AZ4606



ALFA SAGA TRACK MAGNETIC 36W 3000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2000lm	Kelvins 3000K	Beam angle 111°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4611
- white AZ4612



ALFA SAGA TRACK MAGNETIC 24W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1300lm 1300lm	Kelvins 3000K 4000K	Beam angle 112° 112°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ4607
- 3000K white AZ4608
- 4000K black AZ4609
- 4000K white AZ4610



ALFA SAGA II TRACK MAGNETIC 12W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 400lm 400lm	Kelvins 3000K 4000K	Beam angle 105° 105°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K black AZ5475
- 4000K black AZ5476



ALFA SAGA II TRACK MAGNETIC 30W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 1000lm 1000lm	Kelvins 3000K 4000K	Beam angle 111° 112°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K black AZ5479
- 4000K black AZ5480



ALFA SAGA II TRACK MAGNETIC 20W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 700lm 700lm	Kelvins 3000K 4000K	Beam angle 104° 104°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5477
- 4000K black AZ5478




ALFA SAGA TRACK MAGNETIC CORNER A 24W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm 1920lm	Kelvins 3000K 4000K	Beam angle 64° 76°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ4613
- 3000K white AZ4614
- 4000K black AZ4615
- 4000K white AZ4616




ALFA SAGA TRACK MAGNETIC CORNER B 24W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm 1920lm	Kelvins 3000K 4000K	Beam angle 64° 76°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ4617
- 3000K white AZ4618
- 4000K black AZ4619
- 4000K white AZ4620




ALFA SAGA II TRACK MAGNETIC CORNER A 25W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 25W
Lumens 820lm 1400lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5496
- 4000K black AZ5497




ALFA SAGA II TRACK MAGNETIC CORNER B 25W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 25W
Lumens 820lm 1400lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5498
- 4000K black AZ5499




ALFA KIRA TRACK MAGNETIC 12W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 53° 53°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ4595
- 3000K white AZ4596
- 4000K black AZ4597
- 4000K white AZ4598




ALFA KIRA TRACK MAGNETIC 24W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1400lm 1400lm	Kelvins 3000K 4000K	Beam angle 55° 55°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ4599
- 3000K white AZ4600
- 4000K black AZ4601
- 4000K white AZ4602




ALFA KIRA II TRACK MAGNETIC 6W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm 480lm	Kelvins 3000K 4000K	Beam angle 26° 27°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5469
- 4000K black AZ5470




ALFA KIRA II TRACK MAGNETIC 24W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm 1920lm	Kelvins 3000K 4000K	Beam angle 26° 26°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5473
- 4000K black AZ5474




ALFA KIRA II TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 27° 26°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5471
- 4000K black AZ5472




ALFA SARI TRACK MAGNETIC 6W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000K	Beam angle 99°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5487
- 4000K black AZ5488




tilt

ALFA SARI TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 103°
Lumens 960lm	Kelvins 4000K	Beam angle 103°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5489
- 4000K black AZ5490



tilt




ALFA CYRUS TRACK MAGNETIC 6W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm 480lm	Kelvins 3000K 4000K	Beam angle 27° 28°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5482
- 4000K black AZ5481




tilt

ALFA CYRUS TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 26° 27°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5484
- 4000K black AZ5483




tilt

ALFA CYRUS TRACK MAGNETIC 18W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm 1440lm	Kelvins 3000K 4000K	Beam angle 27° 27°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5485
- 4000K black AZ5486



tilt





ALFA ALDO TRACK MAGNETIC 12W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000K	Beam angle 97°
CRI ≥ 80	Protection level IP20	Material Aluminium
Finish Matt		

- black AZ4625
- white AZ4626




Rotation possible only with Alfa Track Magnetic 27

ALFA ALDO TRACK MAGNETIC POINTS 12W 3000/4000K



Voltage 48V	Light source 1 x LED integrated	Power 12W
Lumens 960lm	Kelvins 3000K 4000K	Beam angle 60°
CRI ≥ 80	Protection level IP20	Material Aluminium
Finish Matt		


- 3000K black AZ4621
- 3000K white AZ4622
- 4000K black AZ4623
- 4000K white AZ4624



Rotation possible only with Alfa Track Magnetic 27




ALFA MAKITA II TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 22° 23°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5491
- 4000K black AZ5492



tilt


rotation

ALFA MAKITA II TRACK MAGNETIC 24W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm 1920lm	Kelvins 3000K 4000K	Beam angle 28° 28°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5493
- 4000K black AZ5494



tilt

rotation





ALFA NIKKI TRACK MAGNETIC 3W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 3W
Lumens 240lm	Kelvins 3000K	Beam angle 27°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black/black AZ4589
- gold/black AZ4591
- white/black AZ4590





tilt rotation

ALFA NIKKI 2 TRACK MAGNETIC 2X3W 3000K



Voltage 48V	Light source 2 x LED Integrated	Power 8W
Lumens 640lm	Kelvins 3000K	Beam angle 26°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black/black AZ4592
- gold/black AZ4594
- white/black AZ4593




tilt rotation

ALFA NIKO TRACK MAGNETIC 7W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 23° 20°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black/black AZ4583
- 3000K gold/black AZ4579
- 3000K white/black AZ4580
- 4000K black/black AZ4581
- 4000K white/black AZ4582




tilt rotation

ALFA NIKO 2 TRACK MAGNETIC 2X7W 3000/4000K




Voltage 48V	Light source 2 x LED Integrated	Power 13W
Lumens 1040lm 1040lm	Kelvins 3000K 4000K	Beam angle 20° 20°
CRI ≥ 80	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black/black AZ4584
- 3000K gold/black AZ4588
- 3000K white/black AZ4585
- 4000K black/black AZ4586
- 4000K white/black AZ4587




tilt rotation

ALFA KERRY TRACK MAGNETIC 7W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000k	Beam angle 32° 32°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5500
- 4000K black AZ5501




ALFA KORI TRACK MAGNETIC 5W 3000K



Voltage 48V	Light source 1 x LED Integrated	Power 5W
Lumens 400lm	Kelvins 3000K	Beam angle 30°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- black AZ4627
- gold AZ4628




ALFA ELIN TRACK MAGNETIC 7W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 63° 56°
CRI ≥ 80	Protection level IP20	Material Aluminium / Glass
Finish Matt		

- 3000K black AZ4630
- 3000K gold AZ4632
- 4000K black AZ4631




ALFA ELSA TRACK MAGNETIC 7W 3000K




Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 58° 58°
CRI ≥ 80	Protection level IP20	Material Aluminium / Glass
Finish Matt		

- 3000K black AZ4633
- 3000K gold AZ4635
- 4000K black AZ4634




ALFA ARYA TRACK MAGNETIC 10W 3000K BK NEW



Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000K	Protection level IP20
Material Aluminium / Glass	Finish Matt	


- black AZ7098



ALFA 2LINE - CONTROL OPTIONS


OPTION 1

- switch ON/OFF & DIMM LINE-1
- switch ON/OFF & DIMM LINE-2




OPTION 2

- DIMM LINE-1 and LINE-2
- switch ON/OFF LINE-1
- switch ON/OFF LINE-2





OPTION 3

- L1 & L2 switch ON/OFF & DIMM




OPTION 4

- switch ON/OFF LINE-1
- switch ON/OFF LINE-2




ALFA 2LINE - CONTROL OPTIONS

DOORBELL TYPE WALL SWITCH + AZZARDO DIMMER TRIAC AZ3218



DOORBELL TYPE WALL SWITCH + AZZARDO DIMMER TRIAC AZ3218 - ILINE SOLUTION



Azzardo Dimmer Triac AZ3218

FUNCTIONALY OF POSSIBLE OPTIONS:

FUNCTION	1	2	3	4
	<ul style="list-style-type: none"> • switch ON/OFF & DIMM L1 • switch ON/OFF & DIMM L2 	<ul style="list-style-type: none"> • DIMM L1 and L2 • switch ON/OFF L1 • switch ON/OFF L2 	<ul style="list-style-type: none"> • L1 & L2 switch ON/OFF & DIMM 	<ul style="list-style-type: none"> • switch ON/OFF L1 • switch ON/OFF L2
Triac Dimm Wall Switch	✓	✓	✓	
Dorbell + Azzardo Dimmer triac	✓		✓	
Wall Switch				✓

2LINE


ALFA SAGA TRACK MAGNETIC 2LINE CORNER A 24W CCT SWITCH DIMM



CCT SWITCH


Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6244
- white AZ6506 **NEW**



2LINE


ALFA SAGA TRACK MAGNETIC 2LINE CORNER B 24W CCT SWITCH DIMM



CCT SWITCH

Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 69°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6245
- white AZ6507 **NEW**



2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



milky diffuser




CCT SWITCH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6236
- white AZ6498 **NEW**



2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



milky diffuser




CCT SWITCH



Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 / 4000 / 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6238
- white AZ6500 **NEW**



2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



milky diffuser




CCT SWITCH



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6237
- white AZ6499 **NEW**



2LINE

ALFA SAGA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



milky diffuser




CCT SWITCH




Voltage 48V	Light source 1 x LED Integrated	Power 48W
Lumens 3840lm	Kelvins 3000 / 4000 / 7000K	Beam angle 105°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6239
- white AZ6501 **NEW**





2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6240
- white / black AZ6502 **NEW**




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 / 4000 / 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6242
- white / black AZ6504 **NEW**





2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 7000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6241
- white / black AZ6503 **NEW**




2LINE

ALFA KIRA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 48W
Lumens 3840lm	Kelvins 3000 / 4000 / 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6243
- white / black AZ6505 **NEW**



2LINE


ALFA CYRUS TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



CCT SWITCH

Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6000K	Beam angle 28°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt / Shiny		

- black AZ6246
- white / black AZ6508 **NEW**



2LINE


ALFA CYRUS TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



CCT SWITCH

Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 / 4000 / 6000K	Beam angle 28°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt / Shiny		

- black AZ6248
- white / black AZ6510 **NEW**



2LINE


ALFA CYRUS TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



CCT SWITCH

Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 / 4000 / 6000K	Beam angle 28°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt / Shiny		

- black AZ6247
- white / black AZ6509 **NEW**




2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000 / 6500K	Beam angle 37°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6249
- white AZ6511 **NEW**




2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 20W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 / 4000 / 6500K	Beam angle 45°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6251
- white AZ6513 **NEW**



2LINE

ALFA NIKO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6500K	Beam angle 41°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6250
- white AZ6512 **NEW**




2LINE

ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X7W CCT SWITCH DIMM



Voltage 48V	Light source 2 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000 / 6500K	Beam angle 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6252
- white AZ6514 **NEW**




2LINE

ALFA OPTICA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6500K	Beam angle 20° - 60°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6256
- white AZ6517 **NEW**




2LINE

ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X12W CCT SWITCH DIMM



Voltage 48V	Light source 2 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6500K	Beam angle 42°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6253
- white AZ6515 **NEW**




2LINE

ALFA PORTO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000 / 6500K	Beam angle 31°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6254
- white AZ6516 **NEW**




2LINE

ALFA KERRY TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000 / 6500K	Beam angle 57°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6255
- white AZ6519 **NEW**




2LINE

ALFA MITUS TRACK MAGNETIC 2LINE 18W CCT SWITCH DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 / 4000 / 6500K	Beam angle 108°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control CCT Switch Triac Dimmer	Material Aluminium / PVC
Finish Matt		

- black AZ6257
- white AZ6518 **NEW**




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH






ALFA MAKITA TRACK MAGNETIC 7W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 - 6000K	Beam angle 37°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4836
- white AZ4837




ALFA MAKITA TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 - 6500K	Beam angle 50°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4840
- white AZ4841




ALFA MAKITA 2 TRACK MAGNETIC 2X7W CCT BLUETOOTH



Voltage 48V	Light source 2 x LED Integrated	Power 14W
Lumens 1120lm	Kelvins 3000 - 6500K	Beam angle 38°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4838
- white AZ4839




ALFA MAKITA TRACK MAGNETIC 30W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 2400lm	Kelvins 3000 - 6500K	Beam angle 50°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4842
- white AZ4843






ALFA MAKITA II TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 26°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

• black AZ5512




ALFA MAKITA II TRACK MAGNETIC 24W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 - 6500K	Beam angle 30°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

• black AZ5513





ALFA SAGA TRACK MAGNETIC 12W CCT BLUETOOTH




milky diffuser





Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 112°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black AZ4846
- white AZ4847



ALFA SAGA TRACK MAGNETIC 36W CCT BLUETOOTH




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 - 6500K	Beam angle 104°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4850
- white AZ4851



ALFA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH





milky diffuser



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 - 6000K	Beam angle 112°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4848
- white AZ4849





 ALFA SAGA II TRACK MAGNETIC 12W CCT BLUETOOTH


milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 106°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5505


 ALFA SAGA II TRACK MAGNETIC CORNER A 25W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 25W
Lumens 2000lm	Kelvins 3000 - 6000K	Beam angle
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5514




 ALFA SAGA II TRACK MAGNETIC 20W CCT BLUETOOTH


milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 2500 - 6000K	Beam angle 105°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5506


 ALFA SAGA II TRACK MAGNETIC CORNER B 25W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 25W
Lumens 2000lm	Kelvins 3000 - 6000K	Beam angle
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5515





 ALFA KIRA TRACK MAGNETIC 12W POINTS50 CCT BLUETOOTH


points



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6500K	Beam angle 53°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4901



 ALFA KIRA TRACK MAGNETIC 30W POINTS50 CCT BLUETOOTH


points



Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 2400lm	Kelvins 3000 - 6500K	Beam angle 55°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4903



 ALFA KIRA TRACK MAGNETIC 20W POINTS50 CCT BLUETOOTH



points



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 - 6000K	Beam angle 55°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



- black AZ4902



 ALFA KIRA II TRACK MAGNETIC 6W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5502


 ALFA KIRA II TRACK MAGNETIC 24W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 - 6000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5504


 ALFA KIRA II TRACK MAGNETIC 12W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5503






ALFA KERRY TRACK MAGNETIC 5W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 5W
Lumens 400lm	Kelvins 3000 - 6500K	Beam angle 48°
CRI ≥ 80	Protection level IP20	
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4852
- white AZ4853




ALFA KERRY TRACK MAGNETIC 15W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 15W
Lumens 1200lm	Kelvins 3000 - 6500K	Beam angle 38°
CRI ≥ 80	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4854
- white AZ4855




ALFA KERRY TRACK MAGNETIC 7W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 - 6000K	Beam angle 34°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black AZ5516



 ALFA CYRUS TRACK MAGNETIC 6W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 5500K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5507


 ALFA CYRUS TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 - 6000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5509


 ALFA CYRUS TRACK MAGNETIC 12W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5508






ALFA SARI TRACK MAGNETIC 6W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 100°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5510




ALFA SONYA TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 - 6500K	Beam angle 45°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ4844
- white AZ4845




ALFA SARI TRACK MAGNETIC 12W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 103°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5511






SIMPLIFIED DIAGRAM OF THE DALI SYSTEM




DALI

ALFA SAGA TRACK MAGNETIC 12W DALI CCT DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6284
- white AZ7247 **NEW**




DALI

ALFA SAGA TRACK MAGNETIC 36W DALI CCT DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 3000 - 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6294
- white AZ7251 **NEW**




DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CCT DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 3000 - 7000K	Beam angle 104°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6285
- white AZ7248 **NEW**




DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CORNER A CCT DIMM




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 4000 - 6500K	Beam angle 103°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6288
- white AZ7249 **NEW**




DALI

ALFA SAGA TRACK MAGNETIC 24W DALI CORNER B CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 4000 - 7000K	Beam angle 69°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6289
- white AZ7250 **NEW**



DALI



DALI

ALFA KIRA TRACK MAGNETIC 12W DALI CCT DIMM




points



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6286
- white AZ7252 **NEW**



DALI

ALFA KIRA TRACK MAGNETIC 36W DALI CCT DIMM




points



Voltage 48V	Light source 1 x LED Integrated	Power 36W
Lumens 2880lm	Kelvins 4000 - 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6295
- white AZ7246 **NEW**



DALI

ALFA KIRA TRACK MAGNETIC 24W DALI CCT DIMM




points



Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm	Kelvins 4000 - 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6287
- white AZ7245 **NEW**




DALI

ALFA NIKO TRACK MAGNETIC 7W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 4000 - 6500K	Beam angle 37°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6290




DALI

ALFA NIKO TRACK MAGNETIC 20W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 4000 - 6500K	Beam angle 42°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6292




DALI

ALFA NIKO TRACK MAGNETIC 12W DALI CCT DIMM



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 4000 - 5500K	Beam angle 41°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		

- black AZ6291




DALI

ALFA NIKO 2 TRACK MAGNETIC 7W DALI CCT DIMM



Voltage 48V	Light source 2 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 4000 - 6500K	Beam angle 37°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control DALI	Material Aluminium / PVC
Finish Matt		


- black AZ6293




A modern living room with a track lighting fixture. The room features a light-colored sofa, a coffee table, and large windows with white curtains. The lighting fixture is a cylindrical, beige-colored track light hanging from the ceiling. The text "BETA TRACK MAGNETIC" is overlaid on the right side of the image.

**BETA
TRACK MAGNETIC**

BETA TRACK MAGNETIC INSTALLATION SCHEME



BETA TRACK MAGNETIC INSTALLATION SCHEME



BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)


Length/Color/Code				
● 1m beige	AZ7314	NEW	
● 1m black	AZ5139		
○ 1m white	AZ5140		
● 2m beige	AZ7315	NEW	
● 2m black	AZ5141		
○ 2m white	AZ5142		
● 3m beige	AZ7316	NEW	
● 3m black	AZ5143		
○ 3m white	AZ5144		

DESIGN PATENTED BY AZZARDO

BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)
Anodised Chocolate

Length/Color/Code				
● 1m chocolate	AZ6374		
● 2m chocolate	AZ6376		
● 3m chocolate	AZ6378		

DESIGN PATENTED BY AZZARDO

BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)
Anodised Gold

Length/Color/Code				
● 1m gold	AZ6375		
● 2m gold	AZ6377		
● 3m gold	AZ6379		

DESIGN PATENTED BY AZZARDO

BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)
Anodised Silver

Length/Color/Code				
● 1m silver	AZ6436		
● 2m silver	AZ6437		
● 3m silver	AZ6438		

DESIGN PATENTED BY AZZARDO



BETA TRACK MAGNETIC57 230V CORNER90 A

Color/Code				
● beige	AZ7626	NEW	
● black	AZ5158		
○ white	AZ5159		
● chocolate	AZ6380		
● gold	AZ6381		
● silver	AZ6439		



BETA TRACK MAGNETIC57 230V CORNER90 B

Color/Code				
● beige	AZ7327	NEW	
● black	AZ5160		
○ white	AZ5161		
● chocolate	AZ6382		
● gold	AZ6383		
● silver	AZ6440		



BETA TRACK MAGNETIC57 230V CORNER T A

Color/Code				
● beige	AZ7385	NEW	
● black	AZ6701		
○ white	AZ6704		


BETA TRACK MAGNETIC 230V STRAIGHT
CONNECTOR MECHANICAL

Color/Code				
● black	AZ5151		



BETA TRACK MAGNETIC57 230V COVER

Color/Code	● beige	AZ7331	NEW
	● black	AZ5168	
	○ white	AZ5169	




BETA TRACK MAGNETIC57 230V END CAP

Color/Code	● beige	AZ7330	NEW
	● black	AZ5166	
	○ white	AZ5167	
	● chocolate	AZ6384	
	● gold	AZ6385	
	● silver	AZ6441	



BETA TRACK MAGNETIC 230V SUSPENSION KIT

Color/Code	● beige	AZ7324	NEW
	● black	AZ5155	



CEILING PLATE + WIRE

Color/Code	● black	AZ4780
	○ white	AZ4782



BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR

Color/Code	● black	AZ5154
------------	---------	-------	--------



BETA TRACK MAGNETIC57 230V FLEX CONNECTOR ELECTRIC

Color/Code	● black	AZ5153
------------	---------	-------	--------




BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR T

Color/Code	● black	AZ6706
	○ white	AZ6707



BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR ELECTRIC

Color/Code	● black	AZ5152
------------	---------	-------	--------



BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP

Color/Code	● beige	AZ7325	NEW
	● black	AZ5156	
	○ white	AZ5157	

BETA TRACK MAGNETIC INSTALLATION SCHEME



BETA TRACK MAGNETIC57 230V GIPS 1 (1m, 2m, 3m)


Length/Color/Code			
● 1m	black	AZ5145
○ 1m	white	AZ5146
● 2m	black	AZ5147
○ 2m	white	AZ5148
● 3m	black	AZ5149
○ 3m	white	AZ5150

DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1

Color/Code			
● black	AZ5162	
○ white	AZ5163	



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1

Color/Code			
● black	AZ5164	
○ white	AZ5165	



BETA TRACK MAGNETIC57 230V CONNECTOR T GIPS1

Color/Code			
● black	AZ6702	
○ white	AZ6705	



BETA TRACK MAGNETIC57 230V GIPS 2 (1m, 2m, 3m)

Length/Color/Code			
● 1m	black	AZ5170
● 2m	black	AZ5171
● 3m	black	AZ5172

DESIGN PATENTED BY AZZARDO



BETA TRACK MAGNETIC57 230V CORNER90 A GIPS2

Color/Code			
● black	AZ5173	



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS2


Color/Code			
● black	AZ5174	



BETA TRACK MAGNETIC57 230V CONNECTOR T GIPS2

Color/Code			
● black	AZ6703	

BETA TRACK MAGNETIC INSTALLATION SCHEME



BETA TRACK MAGNETIC50 EASYFIX 230V (1m, 2m, 3m)

Length/Color/Code	● 1m	black	AZ6067
	● 2m	black	AZ6068
	● 3m	black	AZ6069

BETA TRACK MAGNETIC50 EASYFIX 230V
CORNER90 A

Color/Code	● black	AZ6072
------------	---------	-------	--------


BETA TRACK MAGNETIC50 EASYFIX 230V
CORNER90 B

Color/Code	● black	AZ6073
------------	---------	-------	--------



BETA TRACK MAGNETIC50 EASYFIX 230V END CAP

Color/Code	● black	AZ6074
------------	---------	-------	--------



BETA TRACK MAGNETIC50 EASYFIX 230V SPRING X1

Color/Code	● aluminum	AZ6071
------------	------------	-------	--------

BETA/ALFA TRACK MAGNETIC50 EASYFIX 230V
MOUNTING PLATE

Color/Code	● aluminum	AZ6070
------------	------------	-------	--------



BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR

Color/Code	● black	AZ5154
------------	---------	-------	--------


BETA TRACK MAGNETIC57 230V FLEX
CONNECTOR ELECTRIC

Color/Code	● black	AZ5153
------------	---------	-------	--------


BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR
ELECTRIC

Color/Code	● black	AZ5152
------------	---------	-------	--------

BETA SAGA 230V TRACK MAGNETIC 9W 3000/4000K




milky diffuser




Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm 720lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K beige AZ7352 NEW
- 3000K black AZ5190
- 3000K white AZ6470
- 4000K beige AZ7373 NEW
- 4000K black AZ5214
- 4000K white AZ6471



BETA SAGA 230V TRACK MAGNETIC 18W 3000/4000K




milky diffuser





Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm 1440lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K beige AZ7353 NEW
- 3000K black AZ5191
- 3000K white AZ6464
- 4000K beige AZ7374 NEW
- 4000K black AZ5215
- 4000K white AZ6465



BETA SAGA 230V TRACK MAGNETIC 27W 3000/4000K




milky diffuser



Voltage - 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm 2160lm	Kelvins 3000K 4000K	Beam angle 120° 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K beige AZ7354 NEW
- 3000K black AZ5192
- 3000K white AZ6466
- 4000K beige AZ7375 NEW
- 4000K black AZ5216
- 4000K white AZ6467



BETA KIRA 230V TRACK MAGNETIC 9W 3000/4000K




points



Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm 720lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K beige AZ7349 **NEW**
- 3000K black AZ5187
- 3000K white AZ6460
- 4000K beige AZ7370 **NEW**
- 4000K black AZ5211
- 4000K white AZ6461



BETA KIRA 230V TRACK MAGNETIC 18W 3000/4000K




points





Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm 1440lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K beige AZ7350 **NEW**
- 3000K black AZ5188
- 3000K white AZ6456
- 4000K beige AZ7371 **NEW**
- 4000K black AZ5212
- 4000K white AZ6457



BETA KIRA 230V TRACK MAGNETIC 27W 3000/4000K




points




Voltage - 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm 2160lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige AZ7351 **NEW**
- 3000K black AZ5189
- 3000K white AZ6458
- 4000K beige AZ7372 **NEW**
- 4000K black AZ5213
- 4000K white AZ6459





BETA SANDERS 230V TRACK MAGNETIC 9W 3000/4000K



Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm 720lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige AZ7355 **NEW**
- 3000K black AZ5193
- 4000K beige AZ7356 **NEW**
- 4000K black AZ5194





BETA MAKITA 230V TRACK MAGNETIC 10W 3000/4000K



Voltage - 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige AZ7361 **NEW**
- 3000K black AZ5199
- 3000K white AZ6462
- 4000K beige AZ7362 **NEW**
- 4000K black AZ5200
- 4000K white AZ6463





BETA MAKITA 230V TRACK MAGNETIC 20W 3000/4000K




Voltage - 230V	Light source 1 x LED integrated	Power 20W
Lumens 1600lm 1600lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		


- 3000K black AZ5201
- 3000K beige AZ7363 **NEW**
- 4000K black AZ5202
- 4000K beige AZ7364 **NEW**




BETA OPTICA 230V TRACK MAGNETIC 7W 3000/4000K



Voltage - 230V	Light source 1 x LED integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 15° - 38° 15° - 38°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K beige AZ7357 **NEW**
- 3000K black AZ5195
- 3000K white AZ6468
- 4000K beige AZ7358 **NEW**
- 4000K black AZ5196
- 4000K white AZ6469




BETA OPTICA 230V TRACK MAGNETIC 10W 3000/4000K



Voltage - 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 15° - 38° 15° - 38°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		




- 3000K beige AZ7360 **NEW**
- 3000K black AZ5198
- 4000K beige AZ7359 **NEW**
- 4000K black AZ5197



ADJUSTABLE BEAM ANGLE

Selectable beam angle: 15° / 24° / 38°




Rotatable optical lens

BETA KERRY 230V TRACK MAGNETIC 10W 3000/4000K



Voltage ~ 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 24° 24°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K beige AZ7365 **NEW**
- 3000K black AZ5203
- 4000K beige AZ7366 **NEW**
- 4000K black AZ5204





BETA BECKER 230V TRACK MAGNETIC GU10





Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	

- beige AZ7376 NEW
- black AZ5465
- white AZ5466

BETA GARY 2 230V TRACK MAGNETIC GU10 NEW

Voltage ~ 230V	Light source 2 x GU10 only LED	Material Aluminium / PVC
Finish Matt		

- beige AZ7384 NEW
- black AZ6692 NEW
- white AZ6691 NEW





BETA GARY 230V TRACK MAGNETIC GU10



Voltage ~ 230V	Light source 1 x GU10 only LED	Protection level IP20
Material Aluminium / PVC	Finish Matt	

- beige AZ7369 NEW
- black AZ5207
- white AZ5208



BLUETOOTH LED BULBS CCT DIMM



GU10 | 4,9W AZ5421



E14 | 4,9W AZ5422



E27 | 9W AZ5423




Bluetooth LED BULB

Controller



BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP



● beige AZ7325



● black AZ5156



○ white AZ5157

STEP 1

Choose a pendant lamp
Scan QR code to view compatible lamps

STEP 2

Cut the power cord
Adjust the cord length if necessary


STEP 3

Connect the cord to the adapter

STEP 4


Mount the lamp to the track

REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP




SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH





BETA SAGA 230V TRACK MAGNETIC 9W CCT BLUETOOTH




milky diffuser




Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7340 **NEW**
- black AZ5178



BETA SAGA 230V TRACK MAGNETIC 27W CCT BLUETOOTH




milky diffuser




Voltage - 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm	Kelvins 3000 - 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7342 **NEW**
- black AZ5180



BETA SAGA 230V TRACK MAGNETIC 18W CCT BLUETOOTH




milky diffuser




Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000 - 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7341 **NEW**
- black AZ5179



BETA SAGA 230V TRACK MAGNETIC 18W RGB-CW BLUETOOTH




milky diffuser



Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000 - 6000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7367 **NEW**
- black AZ5205





BETA KIRA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



points



Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7337 NEW
- black AZ5175




BETA KIRA 230V TRACK MAGNETIC 27W CCT BLUETOOTH


points



Voltage - 230V	Light source 1 x LED integrated	Power 27W
Lumens 2160lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7339 NEW
- black AZ5177




BETA KIRA 230V TRACK MAGNETIC 18W CCT BLUETOOTH


points



Voltage - 230V	Light source 1 x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7338 NEW
- black AZ5176






BETA KERRY 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7348 **NEW**
- black AZ5186





BETA SANDERS 230V TRACK MAGNETIC 9W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7343 **NEW**
- black AZ5181







BETA MAKITA 230V TRACK MAGNETIC 10W CCT BLUETOOTH





Voltage - 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7346 **NEW**
- black AZ5184

BETA MAKITA 230V TRACK MAGNETIC 10W
RGB-CW CCT BLUETOOTH

Voltage - 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7368 **NEW**
- black AZ5206




BETA MAKITA 230V TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 20W
Lumens 1600lm	Kelvins 3000 - 6000K	Beam angle 24°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7347 **NEW**
- black AZ5185






BETA OPTICA 230V TRACK MAGNETIC 7W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 - 6000K	Beam angle 15° - 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7344 **NEW**
- black AZ5182



ADJUSTABLE BEAM ANGLE

Selectable beam angle: 15° / 24° / 38°





BETA OPTICA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage - 230V	Light source 1 x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 - 6000K	Beam angle 15° - 38°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- beige AZ7345 **NEW**
- black AZ5183




Rotatable optical lens

DELTA
TRACK MAGNETIC
SUPER SLIM **NEW**




DELTA TRACK MAGNETIC SUPER SLIM INSTALLATION OPTIONS




DELTA TRACK MAGNETIC SUPER SLIM (1m, 1,5m, 2m)

- Length/Color/Code
- 1m black AZ6975
 - 1,5m black AZ6977
 - 2m black AZ6976




DELTA TRACK MAGNETIC SUPER SLIM CORNER90 A BK

- Color/Code
- black AZ6980



DELTA TRACK MAGNETIC SUPER SLIM CORNER90 B BK

- Color/Code
- black AZ6981



DELTA TRACK MAGNETIC SUPER SLIM T CONNECTOR BK

- Color/Code
- black AZ6982




DELTA TRACK MAGNETIC SUPER SLIM END CAP BK

- Color/Code
- black AZ6983




DELTA TRACK MAGNETIC SUPER SLIM CURVE R30

- Color/Code
- black AZ6978



DELTA TRACK MAGNETIC SUPER SLIM CURVE R60

- Color/Code
- black AZ6979




DELTA TRACK MAGNETIC SUPER SLIM SUSPENSION KIT BK


- Color/Code
- black AZ6984



DELTA TRACK MAGNETIC SUPER SLIM ROD SUSPENSION

- Length/Color/Code
- 10cm black AZ7001
 - 30-60cm black AZ7004
 - 60-120cm black AZ7005




DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ROD SUSPENSION


- Length/Color/Code
- 10cm black AZ7007
 - 30-60cm black AZ6678
 - 60-120cm black AZ6679


DELTA TRACK MAGNETIC SUPER SLIM ELECTRIC ROD SUSPENSION


- Length/Color/Code
- 10cm black AZ7000
 - 30-60cm black AZ7002
 - 60-120cm black AZ7003


DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ELECTRIC ROD SUSPENSION

- Length/Color/Code
- 10cm black AZ7006
 - 30-60cm black AZ7008
 - 60-120cm black AZ6677


DELTA TRACK MAGNETIC SUPER SLIM GIPS (1m, 2m)

- Length/Color/Code
- 1m black AZ6992
 - 2m black AZ6993


DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 B BK

- Color/Code
- black AZ6995


DELTA TRACK MAGNETIC SUPER SLIM GIPS I END CAP BK


- Color/Code
- black AZ6996


DELTA TRACK MAGNETIC SUPER SLIM STRAIGHT MECHANICAL CONNECTOR

- Code
- AZ6986


DELTA TRACK MAGNETIC SUPER SLIM 48V STRAIGHT ELECTRIC CONNECTOR BK

- Color/Code
- black AZ6989


DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 A BK

- Color/Code
- black AZ6994


DELTA TRACK MAGNETIC SUPER SLIM 48V FLEX ELECTRIC CONNECTOR BK

- Color/Code
- black AZ6988



**DELTA TRACK MAGNETIC SUPER SLIM 48V DRIVER
ELECTRIC CONNECTOR BK**
Color/Code ● black **AZ6987**



DRIVER OUTSIDE MEANWELL (100W, 200W, 350W)
Power/Code 100W **AZ4691**
200W **AZ4692**




**DELTA TRACK MAGNETIC SUPER SLIM CCT DIMM
BLUETOOTH DRIVER 48V BK (100W, 200W)**
Power/Color/Code ● 100W black **AZ6990**
● 200W black **AZ6991**



CONTROLLER CCT DIMM BLUETOOTH MAX. 200W
Code **AZ7380**

STANDARD



SMART APP TUYA

OPTION REMOTE CONTROL



AZ5210



AZ5209





AZ5265




AZ4857

DELTA TRACK MAGNETIC SUPER SLIM CCT CHANGE BY POLARITY


Rotate the fixture 180° to switch between 3000K and 4000K.



Direction A
3000K warm light



Rotate 180°
to switch light
temperature




Direction B
4000K neutral light



DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE NEW




DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE BK
Code/Color ● black AZ6680




SMART APP
TUYA


DELTA TRACK MAGNETIC SUPER SLIM DOUBLE (1,5m)
Length/Color/Code ● 1,5m black AZ7389



DELTA TRACK MAGNETIC SUPER SLIM PENDANT 150 SET 32W+10W BK NEW



Voltage 48V	Light source 3x LED integrated	Power 2x 16W+10W
Lumens 3360lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



SMART APP
TUYA


● black AZ6998

DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT NEW




Voltage 48V	Light source 1x LED integrated	Power 6W
Lumens 175lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

○ white AZ7303




Voltage 48V	Light source 1x LED integrated	Power 12W
Lumens 349lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

○ white AZ7304



Voltage 48V	Light source 1x LED integrated	Power 18W
Lumens 648lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



○ white AZ7305



DELTA SAGI TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

• black AZ5393

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

• black AZ5395

DELTA SAGI TRACK MAGNETIC SUPER SLIM 14W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 14W
Lumens 1120lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


• black AZ5394

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 14W CCT BK NEW

Voltage 48V	Light source 1x LED integrated	Power 14W
Lumens 1120lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



• black AZ5396



DELTA SAGA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5397

DELTA KIRA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW



Voltage 48V	Light source 1x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5399

DELTA SAGA TRACK MAGNETIC SUPER SLIM 20W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 20W
Lumens 1600lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black AZ5398

DELTA KIRA TRACK MAGNETIC SUPER SLIM 20W CCT BK NEW

Voltage 48V	Light source 1x LED integrated	Power 20W
Lumens 1600lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black AZ5400



DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 12W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt / Shiny		

- black AZ5406

DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 18W CCT BK NEW

Voltage 48V	Light source 1x LED integrated	Power 18W
Lumens 1440lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black AZ7158



DELTA PAVO TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5401

DELTA ANTILA TRACK MAGNETIC SUPER SLIM 3W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 3W
Lumens 240lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5403

DELTA PAVO TRACK MAGNETIC SUPER SLIM 12W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 12W
Lumens 960lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5402

DELTA ANTILA TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW

Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black AZ5404



DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT CLEAR NEW


Voltage 48V	Light source 1x LED integrated	Power 5W
Lumens 400lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Glass / PVC
Finish Shiny		

- clear AZ5409

DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT MILKY NEW


Voltage 48V	Light source 1x LED integrated	Power 5W
Lumens 400lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Glass / PVC
Finish Matt		

- white AZ6973

DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT CLEAR NEW


Voltage 48V	Light source 1x LED integrated	Power 5W
Lumens 400lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Glass / PVC
Finish Shiny		

- clear AZ5410

DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT MILKY NEW

Voltage 48V	Light source 1x LED integrated	Power 5W
Lumens 400lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Glass / PVC
Finish Matt		



- white AZ6974



DELTA MENSA TRACK MAGNETIC SUPER SLIM 10W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 10W
Lumens 800lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5407

DELTA DRACO TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW


Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5408

DELTA KERRY TRACK MAGNETIC SUPER SLIM 7W CCT BK NEW

Voltage 48V	Light source 1x LED integrated	Power 7W
Lumens 560lm	Kelvins 3000 / 4000K	Protection level IP20
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



- black AZ5405





**GAMMA
TRACK MAGNETIC**

GAMMA TRACK INSTALLATION SCHEME

GAMMA TRACK MAGNETIC 5mm + 2X END CAP TRACK
(1m, 1,5m, 2m, 3m)

Length/Color/Code			
● 1m	black	AZ5312
○ 1m	white	AZ5314
● 1,5m	black	AZ5527
● 2m	black	AZ5313
○ 2m	white	AZ5315
● 3m	black	AZ5528

DESIGN PATENTED BY AZZARDO

GAMMA TRACK MAGNETIC 5mm OX + 2X END CAP TRACK
(1m, 1,5m, 2m, 3m)

Length/Color/Code			
● 1m	black	AZ5914
● 1,5m	black	AZ5915
● 2m	black	AZ5916
● 3m	black	AZ5917

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC 5mm T CONNECTOR

Color/Code			
● black	AZ5316	
○ white	AZ5317	



GAMMA TRACK MAGNETIC 5mm X CONNECTOR

Color/Code			
● black	AZ5318	
○ white	AZ5319	



GAMMA TRACK MAGNETIC 5mm STRAIGHT CONNECTOR

Color/Code			
● black	AZ5320	
○ white	AZ5321	



GAMMA TRACK MAGNETIC 5mm L CONNECTOR

Color/Code			
● black	AZ5324	
○ white	AZ5325	



GAMMA TRACK MAGNETIC 5mm ROUND CORNER90

Color/Code			
● black	AZ5326	
○ white	AZ5327	



GAMMA TRACK MAGNETIC 5mm INNER CORNER90

Color/Code			
● black	AZ5322	
○ white	AZ5323	


GAMMA TRACK MAGNETIC 35mm (1m, 1,5m, 2m, 3m)

Length/Color/Code	● 1m	black	AZ 5 5 61
	● 1,5m	black	AZ 5 5 62
	● 2m	black	AZ 5 5 63
	● 3m	black	AZ 5 5 64


GAMMA TRACK MAGNETIC 35mm COVER

Color/Code	● black	AZ 6404
------------	---------	-------	---------


GAMMA TRACK MAGNETIC 35mm ELECTRIC CONNECTOR 180


Color/Code	● black	AZ 5542
------------	---------	-------	---------


GAMMA TRACK MAGNETIC 35mm ELECTRIC CONNECTOR FLEX

Color/Code	● black	AZ 5543
------------	---------	-------	---------


GAMMA TRACK MAGNETIC 35mm STRAIGHT MECHANICAL CONNECTOR


Color/Code	● black	AZ 5544
------------	---------	-------	---------


GAMMA TRACK MAGNETIC 35mm UNIVERSAL SUSPENSION KIT 2M

Length/Color/Code	● 2m	black	AZ5537
-------------------	------	-------	-------	--------


GAMMA TRACK MAGNETIC 35mm CORNER90 A

Color/Code	● black	AZ5565
------------	---------	-------	--------


GAMMA TRACK MAGNETIC 35mm CORNER90 B

Color/Code	● black	AZ5566
------------	---------	-------	--------



GAMMA TRACK MAGNETIC DRIVER (100W, 200W)

Power/Color/Code	● 100W	black	AZ 5 3 30
	○ 100W	white	AZ 5 3 31
	● 200W	black	AZ 5 3 32
	○ 200W	white	AZ 5 3 33


GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE (100W, 200W)

Power/Color/Code	● 100W	black	AZ 5 5 78
	● 200W	black	AZ 5 5 79

GAMMA TRACK INSTALLATION SCHEME




GAMMA TRACK MAGNETIC GIPS1 (1m, 1,5m, 2m, 3m)

Length/Color/Code			
● 1m	black	AZ5533
● 1,5m	black	AZ5534
● 2m	black	AZ5535
● 3m	black	AZ5536



GAMMA TRACK MAGNETIC GIPS2 (1m, 1,5m, 2m, 3m)

Length/Color/Code			
● 1m	black	AZ5529
● 1,5m	black	AZ5530
● 2m	black	AZ5531
● 3m	black	AZ5532

GAMMA TRACK MAGNETIC GIPS1
CORNER90 A

Color/Code			
● black	AZ5538	

GAMMA TRACK MAGNETIC GIPS1
CORNER90 B


Color/Code			
● black	AZ5539	

GAMMA TRACK MAGNETIC GIPS2
CORNER90 A

Color/Code			
● black	AZ5540	

GAMMA TRACK MAGNETIC GIPS2
CORNER90 B

Color/Code			
● black	AZ5541	



GAMMA TRACK MAGNETIC 5mm DRIVER CONNETTOR

Color/Code			
● black	AZ5328	
○ white	AZ5329	


DRIVER OUTSIDE MEANWELL
(100W, 200W, 350W)

Power/Code			
100W	...	AZ4691	
200W	...	AZ4692	
350W	...	AZ4866	



GAMMA TRACK MAGNETIC 35mm DRIVER CONNETTOR

Color/Code			
● black	AZ6403	

DRIVER OUTSIDE MEANWELL
(100W, 200W, 350W)

Power/Code			
100W	...	AZ4691	
200W	...	AZ4692	
350W	...	AZ4866	

GAMMA SAGA TRACK MAGNETIC 10W 3000/4000K




milky diffuser



Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm 800lm	Kelvins 3000K 4000K	Beam angle 160°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5298
- 4000K black AZ5299



GAMMA SAGA TRACK MAGNETIC 30W 3000/4000K




milky diffuser



Voltage 48V	Light source 1 x LED Integrated	Power 30W
Lumens 2400lm 2400lm	Kelvins 3000K 4000K	Beam angle 162°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5304
- 4000K black AZ5305



GAMMA SAGA TRACK MAGNETIC 20W 3000/4000K




milky diffuser




Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm 1600lm	Kelvins 3000K 4000K	Beam angle 162°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5301
- 4000K black AZ5302




GAMMA KIRA TRACK MAGNETIC 12W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 58°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5290
- 4000K black AZ5291




GAMMA KIRA TRACK MAGNETIC 24W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 24W
Lumens 1920lm 1920lm	Kelvins 3000K 4000K	Beam angle 57°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5296
- 4000K black AZ5297




GAMMA KIRA TRACK MAGNETIC 18W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens lm	Kelvins 3000K 4000K	Beam angle 58°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5293
- 4000K black AZ5294




GAMMA SANGRIA TRACK MAGNETIC 6W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm 480lm	Kelvins 3000K 4000K	Beam angle 163°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5266
- 4000K black AZ5267




GAMMA SANGRIA POINT TRACK MAGNETIC 6W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm 480lm	Kelvins 3000K 4000K	Beam angle 61°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5272
- 4000K black AZ5273




GAMMA SANGRIA TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 164°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5269
- 4000K black AZ5270




GAMMA SANGRIA POINT TRACK MAGNETIC 12W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 59°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5275
- 4000K black AZ5276




GAMMA SANGRIA UGR TRACK MAGNETIC 6W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm 480lm	Kelvins 3000K 4000K	Beam angle 102°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5278
- 4000K black AZ5279




GAMMA SANGRIA UGR TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 103°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ 5281
- 4000K black AZ5282





GAMMA NIKO TRACK MAGNETIC 7W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm 560lm	Kelvins 3000K 4000K	Beam angle 58°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5284
- 4000K black AZ5285





GAMMA NIKO TRACK MAGNETIC 12W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm 960lm	Kelvins 3000K 4000K	Beam angle 52°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5287
- 4000K black AZ5288



GAMMA DANKA TRACK MAGNETIC 8W 3000/4000K



Voltage 48V	Light source 1 x LED Integrated	Power 8W
Lumens 640lm 640lm	Kelvins 3000K 4000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5306
- 4000K black AZ5307



GAMMA DANIEL TRACK MAGNETIC 8W 3000/4000K




Voltage 48V	Light source 1 x LED Integrated	Power 8W
Lumens 640lm 640lm	Kelvins 3000K 4000K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Material Aluminium / PVC
Finish Matt		

- 3000K black AZ5308
- 4000K black AZ5309




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH






GAMMA SAGA TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 800lm	Kelvins 3000 - 6000K	Beam angle 160°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5300




GAMMA KIRA TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 57°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5292




GAMMA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1600lm	Kelvins 3000 - 6000K	Beam angle 162°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5303




GAMMA KIRA TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 - 6000K	Beam angle 58°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5295






GAMMA SANGRIA POINT TRACK MAGNETIC 6W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 62°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5274




GAMMA SANGRIA UGR TRACK MAGNETIC 6W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 102°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5280




GAMMA SANGRIA POINT TRACK MAGNETIC 12W CCT BLUETOOTH




Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 67°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

- black AZ5277




GAMMA SANGRIA UGR TRACK MAGNETIC 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 103°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


- black AZ5283




GAMMA SANGRIA TRACK MAGNETIC 6W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 163°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



• black AZ5268



GAMMA NIKO TRACK MAGNETIC 7W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 7W
Lumens 560lm	Kelvins 3000 - 6000K	Beam angle 58°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		


• black AZ5286



GAMMA SANGRIA TRACK MAGNETIC 12W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 164°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		



• black AZ5271



GAMMA NIKO TRACK MAGNETIC 12W CCT BLUETOOTH


Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6000K	Beam angle 53°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium / PVC
Finish Matt		

• black AZ5289



GAMMA ADAPTER SMALL



GAMMA TRACK ADAPTER SMALL

Color/Code


- black AZ 5310



TILT IS POSSIBLE ONLY WITH ADAPTER

ONLY LAMP

ADAPTER SMALL + LAMP



SANGRIA MILKY LAMP



SANGRIA MILKY LAMP + ADAPTER SMALL



SANGRIA POINT LAMP



SANGRIA POINT LAMP + ADAPTER SMALL



SANGRIA UGR LAMP



SANGRIA UGR LAMP + ADAPTER SMALL

GAMMA ADAPTER BIG



GAMMA TRACK ADAPTER BIG

Color/Code


- black AZ 5311



TILT IS POSSIBLE ONLY WITH ADAPTER

ONLY LAMP

ADAPTER BIG + LAMP



SANGRIA MILKY LAMP



SANGRIA MILKY LAMP + ADAPTER BIG



SANGRIA POINT LAMP



SANGRIA POINT LAMP + ADAPTER BIG



SANGRIA UGR LAMP




SANGRIA UGR LAMP + ADAPTER BIG



**NEO
TRACK MAGNETIC**

NEO TRACK INSTALLATION SCHEME



NEO TRACK MAGNETIC (0,3m, 0,6m, 1,2m, 2m)

Length/Color/Code	● 0,3m	black	AZ5129
	● 0,6m	black	AZ5130
	● 1,2m	black	AZ5131
	● 2m	black	AZ5132

NEO TRACK MAGNETIC DRIVER (100W, 200W)

Power/Color/Code	● 100W	black	AZ5137
	● 200W	black	AZ5138

TRACK MAGNETIC DRIVER MEANWELL (100W, 200W, 350W)

Power/Color/Code	100W	AZ4691
	200W	AZ4692
	350W	AZ4866

NEO TRACK MAGNETIC CONNECTOR FOR DRIVER

Color/Code	● black	AZ5134
------------	---------	-------	--------

NEO TRACK MAGNETIC CONNECTOR 1

Color/Code	● black	AZ5136
------------	---------	-------	--------

NEO TRACK MAGNETIC CONNECTOR 2

Color/Code	● black	AZ5133
------------	---------	-------	--------

NEO TRACK MAGNETIC COVER USB-C X3

Color/Code	● black	AZ5464
------------	---------	-------	--------

NEO TRACK MAGNETIC MICRO COVER X3


Color/Code	● black	AZ5456
------------	---------	-------	--------

NEO TRACK MAGNETIC CONNECTOR X

Color/Code	● black	AZ5135
------------	---------	-------	--------




REMOTE CONTROL 4-GROUP & RGB & BLUETOOTH





* RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

REMOTE CONTROL 3-GROUP



SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH






NEO SERIE 100 6W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6500K	Beam angle 123°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5118



29,4




NEO SERIE 100 21W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 21W
Lumens 1680lm	Kelvins 3000 - 6500K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5120



115




NEO SERIE 100 12W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6500K	Beam angle 120°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5119



58





NEO SERIE 120 8W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 8W
Lumens 640lm	Kelvins 3000 - 7000K	Beam angle 33°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5121



tilt








NEO SERIE 140 9W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6500K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5126





NEO SERIE 140 18W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 18W
Lumens 1440lm	Kelvins 3000 - 6500K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5123





NEO SERIE 140 12W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6500K	Beam angle 35°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

- black AZ5122






NEO SERIE 160 12W CCT BLUETOOTH



Voltage 48V	Light source LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 7000K	Beam angle 36°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

● black AZ5124




NEO SERIE 180 6W CCT BLUETOOTH



Voltage 48V	Light source 1x LED Integrated	Power 6W
Lumens 480lm	Kelvins 3000 - 6000K	Beam angle 147°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material PVC
Finish Matt		

○ white AZ5125







NEO SERIE 200 12W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 12W
Lumens 960lm	Kelvins 3000 - 6500K	Beam angle 41°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium
Finish Matt		

• black AZ5127




NEO SERIE 220 9W CCT BLUETOOTH



Voltage 48V	Light source 1 x LED Integrated	Power 9W
Lumens 720lm	Kelvins 3000 - 6500K	Beam angle 113°
CRI ≥ 90	Protection level IP20	Dimmable Yes
CCT Yes	Type of control Bluetooth Tuya	Material Aluminium
Finish Matt		


• black AZ5128





TRACK IP65 **NEW**


TRACK IP65 INSTALLATION SCHEME




TRACK IP65 LAMP INSTALLATION SCHEME




TRACK IP65 SUSPENSION INSTALLATION SCHEME



TRACK IP65 SUSPENSION CORNERS INSTALLATION SCHEME





TRACK IP65 (1m, 2m, 3m)

Length/Color/Code	● 1m black	○ 1m white	● 2m black	○ 2m white	● 3m black	○ 3m white

	AZ6920	AZ6923	AZ6921	AZ6924	AZ6922	AZ6925

TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)



Length/Kelvins/Color/Code	● 1m 4000K black	○ 1m 3000K white	○ 1m 4000K white	● 2m 4000K black	○ 2m 3000K white	○ 2m 4000K white	● 3m 4000K black	○ 3m 3000K white	○ 3m 4000K white

	AZ7198	AZ6926	AZ6929	AZ7199	AZ6927	AZ6930	AZ7200	AZ6928	AZ6931

TRACK IP65 LED LINE FINISHING OPTIONS

CUT & END CAP

Seal the cut LED line with a waterproof end cap for a clean and secure finish.

* Requires **AZ6932**



CABLE EXIT

Shorten the power cable to the required length while maintaining IP65 protection.


* Requires **AZ6932**



CABLE EXIT

Connect two LED line sections securely.

* Requires **AZ6932**



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)

Code	Length	Light source	Power	Lumens	Kelvins	Beam angle	Color	Material	Finish	IP
● AZ7198	1m	LED Integrated	10W	192lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6926	1m	LED Integrated	10W	620lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6929	1m	LED Integrated	10W	660lm	4000K	110°	White	Silicone	Matt	IP65
● AZ7199	2m	LED Integrated	20W	320lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6927	2m	LED Integrated	20W	1060lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6930	2m	LED Integrated	20W	1170lm	4000K	110°	White	Silicone	Matt	IP65
● AZ7200	3m	LED Integrated	30W	480lm	4000K	110°	Smoky	Silicone	Matt	IP65
○ AZ6928	3m	LED Integrated	30W	1610lm	3000K	110°	White	Silicone	Matt	IP65
○ AZ6931	3m	LED Integrated	30W	1780lm	4000K	110°	White	Silicone	Matt	IP65





TRACK IP65 COVER STRAIGHT CONNECTOR

Code/Color ● black AZ6936
 ○ white AZ6937



TRACK IP65 MECHANICAL STRAIGHT CONNECTOR BK

Code ● black AZ6712



TRACK IP65 COVER CORNER A

Code/Color ● black AZ6938
 ○ white AZ6939



TRACK IP65 MECHANICAL CORNER A CONNECTOR BK

Code ● black AZ6713



TRACK IP65 COVER CORNER B CONNECTOR

Code/Color ● black AZ7421
 ○ white AZ7422




TRACK IP65 COVER T CONNECTOR

Code/Color ● black AZ6942
 ○ white AZ6943



TRACK IP65 MECHANICAL T CONNECTOR BK

Code ● black AZ6714



TRACK IP65 COVER X CONNECTOR

Code/Color ● black AZ7419
 ○ white AZ7420



TRACK IP65 MECHANICAL X CONNECTOR BK

Code ● black AZ7418




TRACK IP65 END CAP

Code/Color ● black AZ6940
 ○ white AZ6941



TRACK IP65 SUSPENSION

Code/Color ● black AZ6934
 ○ white AZ6935



TRACK IP65 CONNECTORS SET

Code/Color ○ white AZ6932



TRACK IP65 SILICONE GLUE

Code/Color ○ white AZ6971



TRACK IP65 DRIVER 100W/200W/300W

Code/Power 100W AZ6964
 200W AZ6965
 300W AZ6966



TRACK IP65 WATERPROOF CONNECTOR BOX

Code/Color ● black AZ6972



TRACK IP65 COVER DRIVER BOX (100W/200W)

Code/Color ● black AZ6969
 ○ white AZ6970




TRACK IP65 COVER DRIVER BOX (300W)

Code/Color ● black AZ6967
 ○ white AZ6968




TRACK IP65 CONTROL OPTIONS




CONTROLLER DIMM 2,4G + PANEL REMOTE CONTROL BK
 Code AZ6846




DA4-L DALI LED DIMMER 4-CHANNEL
 Code AZ6847



TRACK IP65 LIDO 10W DIMM 3000/4000K NEW


Voltage 48V	Light source 1 x LED Integrated	Power 10W
Lumens 600lm 600lm	Kelvins 3000K 4000K	Beam angle 45°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6948
- 3000K white AZ6949
- 4000K black AZ6950
- 4000K white AZ6951

TRACK IP65 LIDO 20W DIMM 3000/4000K NEW

Voltage 48V	Light source 1 x LED Integrated	Power 20W
Lumens 1000lm 600lm	Kelvins 3000K 4000K	Beam angle 45°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		



- 3000K black AZ6953
- 3000K white AZ6952
- 4000K black AZ6955
- 4000K white AZ6954



TRACK IP65 MURANO 8W DIMM 3000/4000K NEW

Voltage 48V	Light source 1 x LED Integrated	Power 8W
Lumens 530lm 530lm	Kelvins 3000K 4000K	Beam angle 50°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6944
- 3000K white AZ6945
- 4000K black AZ6946
- 4000K white AZ6947




tilt rotation

TRACK IP65 FERNA 16W DIMM 3000/4000K NEW

Voltage 48V	Light source 1 x LED Integrated	Power 16W
Lumens 660lm 660lm	Kelvins 3000K 4000K	Beam angle 38°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ6956
- 3000K white AZ6957
- 4000K black AZ6958
- 4000K white AZ6959




TRACK IP65 SONIC DIMM 3000/4000K NEW



Voltage 48V	Light source 1 x LED Integrated	Power 11W
Lumens 880lm 880lm	Kelvins 3000K 4000K	Beam angle 38°
CRI ≥ 90	Protection level IP65	Material Aluminium
Finish Matt		

- 3000K black AZ 6 9 6 0
- 3000K white AZ 6 9 6 1
- 4000K black AZ 6 9 6 2
- 4000K white AZ 6 9 6 3



RESERVATIONS
TECHNOLOGICAL changes and limitations

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

RESERVATIONS
TECHNOLOGICAL changes and limitations

2 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 2 years is given for the driver for LED lamps and light modules (with diodes).

The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

2 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 2 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

2 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

2 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.

Ra (CRI) - Colour Rendering Index EU standard - Ra ≥ 80
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw Standard UE - Ra ≥ 80
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI) - Index podania farieb Štandard EU - Ra ≥ 80
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI) - Index podání barev Standard EU - Ra ≥ 80
Nejlepší index podání barev Ra(CRI)=100