

AZZARDO®



Collection 2026/2027

outdoor


AZZARDO®

Outdoor



**OUTDOOR
LAMPS**

IKA SQUARE IP65



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-----------|--------|
| ○ AZ2864 white | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ● AZ4230 black | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ● AZ4231 dark grey | 1x GU10 only LED | IP65 | Aluminium | Matt |



IKA ROUND IP65



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-----------|--------|
| ○ AZ2865 white | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ● AZ3017 black | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ● AZ4232 dark grey | 1x GU10 only LED | IP65 | Aluminium | Matt |



ROMOLO R IP65



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-----------|--------|
| ○ AZ5389 white | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ● AZ5390 black | 1x GU10 only LED | IP65 | Aluminium | Matt |

ROMOLO S IP65




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-----------|--------|
| ○ AZ5391 white | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ● AZ5392 black | 1x GU10 only LED | IP65 | Aluminium | Matt |

HYDE OVAL IP54




| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|---------------------|---------|
| ● AZ3325 aluminium | 1x GU10 only LED | IP54 | Metal / Glass / PVC | Brushed |

HYDE SQUARE IP54




| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|---------------------|---------|
| ● AZ3326 aluminium | 1x GU10 only LED | IP54 | Metal / Glass / PVC | Brushed |

FANO S30 E27 IP54




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------|--------|
| ● AZ4372 black | 2x E27 only LED | IP54 | Aluminium | Matt |
| ○ AZ4374 white | 2x E27 only LED | IP54 | Aluminium | Matt |

FANO R30 E27 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|-----------------|------------------|-----------|--------|
| ● AZ4369 dark grey | 2x E27 only LED | IP54 | Aluminium | Matt |
| ● AZ4371 black | 2x E27 only LED | IP54 | Aluminium | Matt |
| ○ AZ4373 white | 2x E27 only LED | IP54 | Aluminium | Matt |


FANO S22 LED IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|---------------------|--------|
| ● AZ2186 dark grey | 1x LED integrated | 9W | 582lm | 3000K | IP54 | Aluminium / Acrylic | Matt |




CASPER SQUARE 3000/4000K IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4498 dark grey | 1x LED integrated | 15W | 1200lm | 3000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ4499 dark grey | 1x LED integrated | 15W | 1200lm | 4000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |


CASPER ROUND 3000/4000K IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4490 black | 1x LED integrated | 15W | 1200lm | 3000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ4492 dark grey | 1x LED integrated | 15W | 1200lm | 3000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ○ AZ4494 white | 1x LED integrated | 15W | 1200lm | 3000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ4491 black | 1x LED integrated | 15W | 1200lm | 4000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ4493 dark grey | 1x LED integrated | 15W | 1200lm | 4000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ○ AZ4495 white | 1x LED integrated | 15W | 1200lm | 4000K | 111° | ≥ 80 | IP54 | Aluminium / PVC | Matt |




APULIA R IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|---------------------|--------|
| ● AZ4333 black | 1x LED integrated | 8W | 640lm | 3000K | 99° | ≥ 80 | IP54 | Aluminium / Acrylic | Matt |
| ○ AZ4334 white | 1x LED integrated | 8W | 640lm | 3000K | 99° | ≥ 80 | IP54 | Aluminium / Acrylic | Matt |
| ● AZ4335 dark grey | 1x LED integrated | 8W | 640lm | 3000K | 99° | ≥ 80 | IP54 | Aluminium / Acrylic | Matt |



APULIA S IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|---------------------|--------|
| ● AZ4336 black | 1x LED integrated | 8W | 640lm | 3000K | 101° | ≥ 80 | IP54 | Aluminium / Acrylic | Matt |
| ○ AZ4337 white | 1x LED integrated | 8W | 640lm | 3000K | 101° | ≥ 80 | IP54 | Aluminium / Acrylic | Matt |
| ● AZ4338 dark grey | 1x LED integrated | 8W | 640lm | 3000K | 101° | ≥ 80 | IP54 | Aluminium / Acrylic | Matt |



PAPIKO IP65



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-------------------|--------|
| ● AZ4216 black | 1x GU10 only LED | IP65 | Aluminium / Glass | Matt |
| ○ AZ4217 white | 1x GU10 only LED | IP65 | Aluminium / Glass | Matt |
| ● AZ6077 gold | 1x GU10 only LED | IP65 | Aluminium / Glass | Shiny |

CONYON IP54 15W CCT SWITCH



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------------|------------------|-----|-----------------|-----------|--------|
| ● AZ6027 black | 1x LED integrated | 15W | 1200lm | 3000 / 4000 / 6000K | 60° | IP54 | Yes | CCT Switch | Aluminium | Matt |
| ○ AZ6028 white | 1x LED integrated | 15W | 1200lm | 3000 / 4000 / 6000K | 60° | IP54 | Yes | CCT Switch | Aluminium | Matt |

CONYON IP54 10W CCT SWITCH




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------------|------------------|-----|-----------------|-----------|--------|
| ● AZ6025 black | 1x LED integrated | 10W | 800lm | 3000 / 4000 / 6000K | 60° | IP54 | Yes | CCT Switch | Aluminium | Matt |
| ○ AZ6026 white | 1x LED integrated | 10W | 800lm | 3000 / 4000 / 6000K | 60° | IP54 | Yes | CCT Switch | Aluminium | Matt |

CONYON IP54 25W CCT SWITCH




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------------|------------------|-----|-----------------|-----------|--------|
| ● AZ6029 black | 1x LED integrated | 25W | 2000lm | 3000 / 4000 / 6000K | 60° | IP54 | Yes | CCT Switch | Aluminium | Matt |
| ○ AZ6030 white | 1x LED integrated | 25W | 2000lm | 3000 / 4000 / 6000K | 60° | IP54 | Yes | CCT Switch | Aluminium | Matt |

ROTOR E27 IP65




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-------------------|--------|
| ○ AZ6066 white | 1x E27 only LED | IP65 | Aluminium / Glass | Matt |
| ● AZ6075 black | 1x E27 only LED | IP65 | Aluminium / Glass | Matt |

ALIX IP65



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-----------|--------|
| ● AZ4056 black | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ● AZ4057 grey | 1x GU10 only LED | IP65 | Aluminium | Matt |
| ○ AZ4055 white | 1x GU10 only LED | IP65 | Aluminium | Matt |


TONIO 1 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-----------|--------|
| ○ AZ0870 white | 1x GU10 only LED | IP54 | Aluminium | Matt |




JOE TUBE IP54




| Code / Color | Light source | Protection class | Material | Finish |
|---------------------|------------------|------------------|-------------------|--------|
| ● AZ3313 dark grey | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ3314 black | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ○ AZ3315 white | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ3316 light grey | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |

JOE WALL IP54





| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ3317 dark grey | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ3318 black | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ○ AZ4315 white | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |

JOE WALL 2 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ3319 dark grey | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ3320 black | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ○ AZ4316 white | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |

JOE SQUARE IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ3323 dark grey | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ○ AZ3324 white | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4270 black | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |

JASON WALL IP65




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|----------------|
| ● AZ5217 black | 1x LED integrated | 9W | 720lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt |
| ● AZ5218 dark grey | 1x LED integrated | 9W | 720lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt / Frosted |

JASON 2 WALL IP65




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|----------------|
| ● AZ5219 black | 2x LED integrated | 18W | 1440lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt |
| ● AZ5220 dark grey | 2x LED integrated | 18W | 1440lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt / Frosted |

JASON SQ WALL IP65



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|----------------|
| ● AZ5221 black | 1x LED integrated | 9W | 720lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt |
| ● AZ5222 dark grey | 1x LED integrated | 9W | 720lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt / Frosted |

JASON 2 SQ WALL IP65



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|----------------|
| ● AZ5223 black | 2x LED integrated | 18W | 1440lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt |
| ● AZ5224 dark grey | 2x LED integrated | 18W | 1440lm | 4000K | 65° | ≥ 80 | IP65 | PVC | Matt / Frosted |

ROLAND WALL IP65



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|--------|
| ● AZ5225 dark grey | 1x LED integrated | 9W | 720lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |
| ○ AZ5226 white | 1x LED integrated | 9W | 720lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |

ROLAND 2 WALL IP65



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|--------|
| ● AZ5227 dark grey | 2x LED integrated | 18W | 1440lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |
| ○ AZ5228 white | 2x LED integrated | 18W | 1440lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |

ROLAND SQ WALL IP65




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|--------|
| ● AZ5229 dark grey | 1x LED integrated | 9W | 720lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |
| ○ AZ5230 white | 1x LED integrated | 9W | 720lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |

ROLAND 2 SQ WALL IP65




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|----------|--------|
| ● AZ5231 dark grey | 2x LED integrated | 18W | 1440lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |
| ○ AZ5232 white | 2x LED integrated | 18W | 1440lm | 3000K | 85° | ≥ 80 | IP65 | PVC | Matt |

ZARIA A IP65 CCT SWITCH




| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------|------------------|-----|-----------------|----------|--------|
| ○ AZ5233 white | 1x LED integrated | 5W | 400lm | 3000 / 4000 / 6500K | ≥ 80 | IP65 | Yes | CCT Switch | PVC | Matt |

ZARIA C IP65 CCT SWITCH





| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------|------------------|-----|-----------------|----------|--------|
| ○ AZ5235 white | 1x LED integrated | 15W | 1200lm | 3000 / 4000 / 6500K | ≥ 80 | IP65 | Yes | CCT Switch | PVC | Matt |

ZARIA B IP65 CCT SWITCH



| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------|------------------|-----|-----------------|----------|--------|
| ○ AZ5234 white | 1x LED integrated | 8W | 640lm | 3000 / 4000 / 6500K | ≥ 80 | IP65 | Yes | CCT Switch | PVC | Matt |

ZARIA D IP65 CCT SWITCH



| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------|------------------|-----|-----------------|----------|--------|
| ○ AZ5236 white | 1x LED integrated | 20W | 1600lm | 3000 / 4000 / 6500K | ≥ 80 | IP65 | Yes | CCT Switch | PVC | Matt |

REZIA IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4343 black | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4344 dark grey | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |




REZIA 2 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4345 black | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4346 dark grey | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |




RIMINI 1 IP54




| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ○ AZ2175 white | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ2176 dark grey | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4265 black | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |

RIMINI 2 IP54





| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ○ AZ2177 white | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ2178 dark grey | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4266 black | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |

RIMINI 1 SQUARE IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4311 dark grey | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ○ AZ4313 white | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4267 black | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |

RIMINI 2 SQUARE IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4312 dark grey | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ○ AZ4314 white | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4268 black | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |

JAKE WALL 2 IP54





| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ3321 dark grey | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ○ AZ3322 white | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |
| ● AZ4269 black | 2x GU10 only LED | IP54 | Aluminium / Glass | Matt |




GORAN SENSOR IP54



| Code / Color | Light source | Protection class | Type of control | Material | Finish |
|--------------------|------------------|------------------|-----------------|-------------------------|--------|
| ● AZ4695 black | 1x GU10 only LED | IP54 | MOTION SENSOR | Aluminium / Glass / PVC | Matt |
| ● AZ4696 dark grey | 1x GU10 only LED | IP54 | MOTION SENSOR | Aluminium / Glass / PVC | Matt |
| ○ AZ4697 white | 1x GU10 only LED | IP54 | MOTION SENSOR | Aluminium / Glass / PVC | Matt |




ULF 1 GU10 WALL SENSOR IP44



| Code / Color | Light source | Protection class | Type of control | Material | Finish |
|--------------------|------------------|------------------|-----------------|-------------------|--------|
| ● AZ4455 dark grey | 1x GU10 only LED | IP44 | MOTION SENSOR | Aluminium / Glass | Matt |



ULF 2 GU10 IP44




| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4473 black | 2x GU10 only LED | IP44 | Aluminium / Glass | Matt |
| ● AZ4474 dark grey | 2x GU10 only LED | IP44 | Aluminium / Glass | Matt |



ROSVIK 25 IP54 6W 3000/4000K




Light direction: Down




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5847 black | 1x LED integrated | 6W | 480lm | 3000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ5851 black | 1x LED integrated | 6W | 480lm | 4000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

ROSVIK 25 IP54 2x 6W 3000/4000K



Light direction: Up & Down

Light direction: Up & Down




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|---------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5848 black | 2x LED integrated | 2x 6W | #ARG!lm | 3000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ5852 black | 2x LED integrated | 2x 6W | #ARG!lm | 4000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

ROSVIK 50 IP54 10W 3000/4000K




Light direction: Down




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5849 black | 1x LED integrated | 10W | 800lm | 3000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ5853 black | 1x LED integrated | 10W | 800lm | 4000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

ROSVIK 50 IP54 2x 10W 3000/4000K




Light direction: Up & Down

Light direction: Up & Down




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|--------|---------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5850 black | 2x LED integrated | 2x 10W | #ARG!lm | 3000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ5854 black | 2x LED integrated | 2x 10W | #ARG!lm | 4000K | 108° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

VENTA IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------------------|-----------------|------------------|-----------------|--------|
| ● AZ4350 black / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |
| ● AZ4351 dark grey / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |

VENETO IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------------------|-----------------|------------------|-----------------|--------|
| ● AZ4348 black / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |
| ● AZ4349 dark grey / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |




CASOLA IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4355 black | 1x LED integrated | 12W | 960lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ4356 dark grey | 1x LED integrated | 12W | 960lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

COSEL IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|----------------|
| ● AZ4353 black / clear | 2x LED integrated | 15W | 1200lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt / Frosted |
| ● AZ4354 dark grey / clear | 2x LED integrated | 15W | 1200lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt / Frosted |

ARBAX 1 IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|----------------|
| ● AZ4341 dark grey / white | 1x LED integrated | 7W | 560lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt / Frosted |

ARBAX 2 IP54





| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|----------------|
| ● AZ4342 dark grey / white | 2x LED integrated | 13W | 1040lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt / Frosted |

ARIDA IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|-----------------|------------------|-----------------|--------|
| ● AZ4347 dark grey | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |


LETICIA 2 IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------------------|-----------|--------|
| ● AZ2189 dark grey | 2x LED integrated | 6W | 400lm | 3000K | max 90° | IP54 | Aluminium | Matt |
| ○ AZ2190 white | 2x LED integrated | 6W | 400lm | 3000K | max 90° | IP54 | Aluminium | Matt |
| ● AZ4469 black | 2x LED integrated | 6W | 400lm | 3000K | max 90° | IP54 | Aluminium | Matt |




GAMBINO XL WALL IP65 3000/4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------------------|-----------|--------|
| ● AZ7092 dark grey | 1x LED integrated | 20W | 1800lm | 3000K | max 90° | IP54 | Aluminium | Matt |
| ● AZ7093 dark grey | 1x LED integrated | 20W | 1800lm | 4000K | max 90° | IP54 | Aluminium | Matt |


GAMBINO 3000/4000K IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------------------|-----------|--------|
| ○ AZ0950 white | 2x LED integrated | 6W | 480lm | 3000K | max 90° | IP54 | Aluminium | Matt |
| ● AZ0957 dark grey | 2x LED integrated | 6W | 480lm | 3000K | max 90° | IP54 | Aluminium | Matt |
| ● AZ4148 black | 2x LED integrated | 6W | 480lm | 3000K | max 90° | IP54 | Aluminium | Matt |
| ● AZ4471 dark grey | 2x LED integrated | 6W | 480lm | 4000K | max 90° | IP54 | Aluminium | Matt |
| ○ AZ4472 white | 2x LED integrated | 6W | 480lm | 4000K | max 90° | IP54 | Aluminium | Matt |




SVALA IP54 3000K



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | CCT | Type of control | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----|-----------------|-----------------|--------|
| ● AZ5855 black | 2x LED integrated | 2x 3W | 270lm | 3000K | 0 - 125° | ≥ 80 | IP54 | Yes | CCT Switch | Aluminium / PVC | Matt |
| ● AZ5856 dark grey | 2x LED integrated | 2x 3W | 270lm | 3000K | 0 - 125° | ≥ 80 | IP54 | Yes | CCT Switch | Aluminium / PVC | Matt |




CREMONA S IP54




| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------|------------------|-------------------|--------|
| ○ AZ2179 white | 2x LED integrated | 7W | 560lm | 3000K | ≥ 80 | IP54 | Aluminium / Glass | Matt |
| ● AZ2180 dark grey | 2x LED integrated | 7W | 560lm | 3000K | ≥ 80 | IP54 | Aluminium / Glass | Matt |
| ● AZ4339 black | 2x LED integrated | 7W | 560lm | 3000K | ≥ 80 | IP54 | Aluminium / Glass | Matt |

CREMONA M IP54




| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------|------------------|-------------------|--------|
| ○ AZ2181 white | 2x LED integrated | 10W | 800lm | 3000K | ≥ 80 | IP54 | Aluminium / Glass | Matt |
| ● AZ2182 dark grey | 2x LED integrated | 10W | 800lm | 3000K | ≥ 80 | IP54 | Aluminium / Glass | Matt |
| ● AZ4340 black | 2x LED integrated | 10W | 800lm | 3000K | ≥ 80 | IP54 | Aluminium / Glass | Matt |

ANCONA S IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ2121 black | 1x LED integrated | 6W | 445lm | 3000K | IP54 | Aluminium | Matt |
| ○ AZ2129 white | 1x LED integrated | 6W | 445lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ7141 beige | 1x LED integrated | 6W | 445lm | 3000K | IP54 | Aluminium | Matt |

ANCONA M IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ2852 black | 1x LED integrated | 9W | 890lm | 3000K | IP54 | Aluminium | Matt |
| ○ AZ2853 white | 1x LED integrated | 9W | 890lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ7143 beige | 1x LED integrated | 9W | 890lm | 3000K | IP54 | Aluminium | Matt |

ANCONA L IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ○ AZ2193 white | 1x LED integrated | 12W | 721lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ2194 black | 1x LED integrated | 12W | 721lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ7142 beige | 1x LED integrated | 12W | 721lm | 3000K | IP54 | Aluminium | Matt |

ANCONA XL IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ○ AZ7144 white | 1x LED integrated | 15W | 1110lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ7145 black | 1x LED integrated | 15W | 1110lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ7146 beige | 1x LED integrated | 15W | 1110lm | 3000K | IP54 | Aluminium | Matt |

LARS ROUND IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ4504 black | 2x LED integrated | 13W | 1040lm | 3000K | IP54 | Aluminium | Matt |

LARS SQUARE IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ4507 black | 2x LED integrated | 13W | 1040lm | 4000K | IP54 | Aluminium | Matt |


ZITA XL IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ2200 dark grey | 2x LED integrated | 6W | 480lm | 3000K | 68° | ≥ 80 | IP54 | Aluminium | Matt |
| ● AZ4150 black | 2x LED integrated | 6W | 480lm | 3000K | 68° | ≥ 80 | IP54 | Aluminium | Matt |



IVER IP54 3000/4000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5703 dark grey | 1x LED integrated | 20W | 1600lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium / PVC | Matt |
| ● AZ5704 dark grey | 1x LED integrated | 20W | 1600lm | 4000K | 120° | ≥ 90 | IP54 | Aluminium / PVC | Matt |



rotation



IVER IP54 SENSOR 3000/4000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Type of control | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|-----------------|--------|
| ● AZ5701 dark grey | 1x LED integrated | 20W | 1600lm | 3000K | 120° | ≥ 90 | IP54 | MOTION SENSOR | Aluminium / PVC | Matt |
| ● AZ5702 dark grey | 1x LED integrated | 20W | 1600lm | 4000K | 120° | ≥ 90 | IP54 | MOTION SENSOR | Aluminium / PVC | Matt |



rotation




CIVITA IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|----------------|
| ● AZ4361 dark grey | 1x LED integrated | 15W | 1200lm | 3000K | 122° | ≥ 80 | IP54 | Aluminium / PVC | Matt / Frosted |



CIVITA SENSOR IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Type of control | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|-----------------|--------|
| ● AZ4360 dark grey | 1x LED integrated | 15W | 1200lm | 3000K | 122° | ≥ 80 | IP54 | MOTION SENSOR | Aluminium / PVC | Matt |



DURANTE IP54 CCT SWITCH NEW





| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------------------|-----|-----------------|-----------------|--------|
| ● AZ6537 black | 1x LED integrated | 21W | 1680lm | 2800 / 4000 / 6000K | IP54 | Yes | CCT Switch | Aluminium / PVC | Matt |



tilt



DURANTE IP54 SENSOR CCT SWITCH NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | CCT | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------------------|------------------|-----|-----------------|-----------------|--------|
| ● AZ6536 black | 1x LED integrated | 21W | 1680lm | 2800 / 4000 / 6000K | IP54 | Yes | CCT Switch | Aluminium / PVC | Matt |


SENSOR DISTANCE: 0,5-10m | HEIGHT: 2-2,5m | ANGLES: 150° + 90° | TIME: 30s- 3min | DUSK SENSITIVITY



tilt




LIVIO 2 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|---------------------|------------------|------------------|-----------|--------|
| ● AZ0888 light grey | 2x GU10 only LED | IP54 | Aluminium | Matt |



GINNA 3 IP54



| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------|------------------|-----------|--------|
| ● AZ3484 black | 6x LED integrated | 6W | 480lm | 3000K | ≥ 80 | IP54 | Aluminium | Matt |
| ● AZ3485 gold | 6x LED integrated | 6W | 480lm | 3000K | ≥ 80 | IP54 | Aluminium | Matt |
| ● AZ4194 dark grey | 6x LED integrated | 6W | 480lm | 3000K | ≥ 80 | IP54 | Aluminium | Matt |
| ○ AZ4195 white | 6x LED integrated | 6W | 480lm | 3000K | ≥ 80 | IP54 | Aluminium | Matt |





GUIDO WALL IP54 3000K



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5339 black | 1x LED integrated | 12W | 960lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium / PVC | Matt |




LENNART 100 IP54 3000/4000K



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ5696 black | 1x LED integrated | 18W | 1440lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |
| ● AZ7147 beige | 1x LED integrated | 18W | 1440lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |
| ● AZ5697 black | 1x LED integrated | 18W | 1440lm | 4000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |
| ● AZ7148 beige | 1x LED integrated | 18W | 1440lm | 4000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |

LENNART 150 IP54 3000/4000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ5698 black | 1x LED integrated | 24W | 1920lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |
| ● AZ7149 beige | 1x LED integrated | 24W | 1920lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |
| ● AZ5699 black | 1x LED integrated | 24W | 1920lm | 4000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |
| ● AZ7150 beige | 1x LED integrated | 24W | 1920lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium | Matt |

GUSTO 90 WALL IP54 3000/4000K NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ6839 black | 1x LED integrated | 9W | 365lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ6840 dark grey | 1x LED integrated | 9W | 365lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ6843 black | 1x LED integrated | 9W | 365lm | 4000K | IP54 | Aluminium | Matt |
| ● AZ6844 dark grey | 1x LED integrated | 9W | 365lm | 4000K | IP54 | Aluminium | Matt |

GUSTO 120 WALL IP54 3000/4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ6837 black | 1x LED integrated | 12W | 490lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ7149 dark grey | 1x LED integrated | 12W | 490lm | 3000K | IP54 | Aluminium | Matt |
| ● AZ6841 black | 1x LED integrated | 12W | 490lm | 4000K | IP54 | Aluminium | Matt |
| ● AZ7150 dark grey | 1x LED integrated | 12W | 490lm | 4000K | IP54 | Aluminium | Matt |



NIKLAS WALL IP44




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-------------------|--------|
| ● AZ4486 black | 1x E27 only LED | IP44 | Aluminium / Glass | Matt |

NIKLAS 2 WALL IP44



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-------------------|--------|
| ● AZ4488 black | 2x E27 only LED | IP44 | Aluminium / Glass | Matt |


NIKLAS WALL SENSOR IP44



| Code / Color | Light source | Protection class | Type of control | Material | Finish |
|----------------|-----------------|------------------|-----------------|-------------------|--------|
| ● AZ4487 black | 1x E27 only LED | IP44 | MOTION SENSOR | Aluminium / Glass | Matt |




MIKKEL WALL IP65




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ4484 black | 1x E27 only LED | IP65 | Aluminium / PVC | Matt |

RASMUS WALL IP65




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ4482 black | 1x E27 only LED | IP65 | Aluminium / PVC | Matt |

MIKKEL IP65




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ4485 black | 1x E27 only LED | IP65 | Aluminium / PVC | Matt |

RASMUS IP65




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ4483 black | 1x E27 only LED | IP65 | Aluminium / PVC | Matt |

EBRO WALL IP65 3000K NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------------|-------------------|-------|--------|---------|------------------|-----------------|------------|
| ● AZ6764 black/clear | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt/Shiny |

EBRO 105 IP65 25W 3000K NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------------|-------------------|-------|--------|---------|------------------|-----------------|------------|
| ● AZ6767 black/clear | 1x LED integrated | 25W | 2000lm | 3000K | IP65 | Aluminium / PVC | Matt/Shiny |

EBRO 60 IP65 18W 3000K NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------------|-------------------|-------|--------|---------|------------------|-----------------|------------|
| ● AZ6765 black/clear | 1x LED integrated | 18W | 1440lm | 3000K | IP65 | Aluminium / PVC | Matt/Shiny |

EBRO 155 IP65 32W 3000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------------|-------------------|-------|--------|---------|------------------|-----------------|------------|
| ● AZ6768 black/clear | 1x LED integrated | 32W | 2560lm | 3000K | IP65 | Aluminium / PVC | Matt/Shiny |


OSVALD IP65



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-------------------|--------|
| ● AZ4489 black | 1x E27 only LED | IP65 | Aluminium / Glass | Matt |




ENOK ROUND WALL 3000K IP65



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4460 dark grey / white | 1x LED integrated | 10W | 800lm | 3000K | 133° | ≥ 80 | IP65 | Aluminium / PVC | Matt |

ENOK SQUARE WALL 3000/4000K IP65




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|------------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4461 black / white | 1x LED integrated | 10W | 800lm | 3000K | 136° | ≥ 80 | IP65 | Aluminium / PVC | Matt |
| ● AZ4462 black / white | 1x LED integrated | 10W | 800lm | 4000K | 137° | ≥ 80 | IP65 | Aluminium / PVC | Matt |

CASORIA R IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4365 dark grey | 1x LED integrated | 7W | 560lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt |
| ● AZ4366 black | 1x LED integrated | 7W | 560lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

CASORIA S IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4367 dark grey | 1x LED integrated | 7W | 560lm | 3000K | 69° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

CASORIA SLIM IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ4368 dark grey | 1x LED integrated | 7W | 560lm | 3000K | 68° | ≥ 80 | IP54 | Aluminium / PVC | Matt |




AFI 3000/4000K IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ4510 dark grey | 1x LED integrated | 2,5W | 200lm | 3000K | 36° | ≥ 80 | IP54 | Aluminium | Matt |
| ● AZ4513 black | 1x LED integrated | 2,5W | 200lm | 4000K | 40° | ≥ 80 | IP54 | Aluminium | Matt |
| ● AZ4511 dark grey | 1x LED integrated | 2,5W | 200lm | 4000K | 40° | ≥ 80 | IP54 | Aluminium | Matt |
| ● AZ4512 black | 1x LED integrated | 2,5W | 200lm | 3000K | 36° | ≥ 80 | IP54 | Aluminium | Matt |

OVE WALL 4000K IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ4509 dark grey | 1x LED integrated | 2,5W | 200lm | 4000K | 52° | ≥ 80 | IP54 | Aluminium | Matt |

ERIN IP54




| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------|------------------|-----------|--------|
| ○ AZ6078 white | 1x LED integrated | 3W | 240lm | 3000K | ≥ 80 | IP54 | Aluminium | Matt |
| ● AZ6080 black | 1x LED integrated | 3W | 240lm | 3000K | ≥ 80 | IP54 | Aluminium | Matt |

ERIN IP54 SENSOR




| Code / Color | Light source | Power | Lumens | Kelvins | CRI | Protection class | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------|------|------------------|-----------------|-----------|--------|
| ○ AZ6079 white | 1x LED integrated | 3W | 240lm | 3000K | ≥ 80 | IP54 | MOTION SENSOR | Aluminium | Matt |
| ● AZ6081 black | 1x LED integrated | 3W | 240lm | 3000K | ≥ 80 | IP54 | MOTION SENSOR | Aluminium | Matt |

FREDO 58 IP54 4000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5337 black | 1x LED integrated | 6W | 480lm | 4000K | 120° | ≥ 90 | IP54 | Aluminium / PVC | Matt |

ALVA 60 IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5705 dark grey | 1x LED integrated | 12W | 960lm | 3000K | 115° | ≥ 90 | IP54 | Aluminium / PVC | Matt |

FREDO 98 IP54 4000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5338 black | 1x LED integrated | 12W | 960lm | 4000K | 120° | ≥ 90 | IP54 | Aluminium / PVC | Matt |

ALVA 100 IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5706 dark grey | 1x LED integrated | 12W | 960lm | 3000K | 120° | ≥ 90 | IP54 | Aluminium / PVC | Matt |

SILL WALL IP54 3000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|------------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5845 black / clear | 1x LED integrated | 9W | 720lm | 3000K | 120° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

SILL 600 IP54 3000K





| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|------------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5846 black / clear | 1x LED integrated | 9W | 720lm | 3000K | 120° | ≥ 80 | IP54 | Aluminium / PVC | Matt |

ELIAS 30 IP65 3000/4000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5707 dark grey | 1x LED integrated | 13W | 1040lm | 3000K | 120° | ≥ 90 | IP65 | Aluminium / PVC | Matt |
| ● AZ5708 dark grey | 1x LED integrated | 13W | 1040lm | 4000K | 120° | ≥ 90 | IP65 | Aluminium / PVC | Matt |

ELIAS 60 IP65 3000/4000K




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------------|--------|
| ● AZ5709 dark grey | 1x LED integrated | 13W | 1040lm | 3000K | 120° | ≥ 90 | IP65 | Aluminium / PVC | Matt |
| ● AZ5710 dark grey | 1x LED integrated | 13W | 1040lm | 4000K | 120° | ≥ 90 | IP65 | Aluminium / PVC | Matt |

CAVALIO IP65 30 3000K NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ7138 dark grey | 1x LED integrated | 10W | 800lm | 3000K | IP65 | Aluminium | Matt |

CAVALIO IP65 80 3000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ7140 dark grey | 1x LED integrated | 10W | 800lm | 3000K | IP65 | Aluminium | Matt |

CAVALIO IP65 60 3000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ7139 dark grey | 1x LED integrated | 10W | 800lm | 3000K | IP65 | Aluminium | Matt |




VILAGIO 30 IP65 4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ7134 beige | 1x LED integrated | 6W | 220lm | 4000K | IP65 | Aluminium | Matt |
| ● AZ7135 dark grey | 1x LED integrated | 6W | 220lm | 4000K | IP65 | Aluminium | Matt |

VILAGIO 60 IP65 4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------|--------|
| ● AZ7136 beige | 1x LED integrated | 6W | 220lm | 4000K | IP65 | Aluminium | Matt |
| ● AZ7137 dark grey | 1x LED integrated | 6W | 220lm | 4000K | IP65 | Aluminium | Matt |




MORTEN IP54 WALL 3000/4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6637 dark grey | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |
| ○ AZ6639 white | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |
| ● AZ6638 dark grey | 1x LED integrated | 10W | 800lm | 4000K | IP54 | Aluminium / PVC | Matt |
| ○ AZ6640 white | 1x LED integrated | 10W | 800lm | 4000K | IP54 | Aluminium / PVC | Matt |



CUBIC IP54 18W 3000/4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6687 black | 1x LED integrated | 18W | 1440lm | 3000K | IP54 | Aluminium / PVC | Matt |
| ● AZ6689 dark grey | 1x LED integrated | 18W | 1440lm | 3000K | IP54 | Aluminium / PVC | Matt |
| ● AZ6688 black | 1x LED integrated | 18W | 1440lm | 4000K | IP54 | Aluminium / PVC | Matt |
| ● AZ6690 dark grey | 1x LED integrated | 18W | 1440lm | 4000K | IP54 | Aluminium / PVC | Matt |




HAGER 1 WALL IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ5863 black | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |

HAGER 50 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ5865 black | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |


HAGER 2 WALL IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ5864 black | 2x E27 only LED | IP54 | Aluminium / PVC | Matt |




LANTERN WALL E27 IP54 NEW




| Code / Color | Light source | Protection class | Material | Finish |
|----------------------|-----------------|------------------|-------------------|--------------|
| ● AZ6830 black/clear | 1x E27 only LED | IP54 | Aluminium / Glass | Matt / Shiny |

LANTERN E27 IP54 NEW



| Code / Color | Light source | Protection class | Material | Finish |
|----------------------|-----------------|------------------|-------------------|--------------|
| ● AZ6828 black/clear | 1x E27 only LED | IP54 | Aluminium / Glass | Matt / Shiny |



LANTERN PENDANT E27 IP54 NEW



| Code / Color | Light source | Protection class | Material | Finish |
|----------------------|-----------------|------------------|-------------------|--------------|
| ● AZ6829 black/clear | 1x E27 only LED | IP54 | Aluminium / Glass | Matt / Shiny |





FIGARO WALL IP54 3000K NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-------------------|--------|
| ● AZ6826 black | 1x LED integrated | 8W | 640lm | 3000K | IP54 | Aluminium / Acryl | Matt |

FIGARO 650 IP54 3000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------------|-------------------|--------|
| ● AZ6827 black | 1x LED integrated | 8W | 640lm | 3000K | IP54 | Aluminium / Acryl | Matt |


OUTDOOR PLUG 2kW IP54 NEW



| Code / Color | Socket max. load | Protection class | Material | Finish |
|----------------|------------------|------------------|-----------------|--------------|
| ● AZ6849 black | 2000W | IP54 | Aluminium / PVC | Matt / Shiny |




OPLO WALL 3000K IP54 NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6831 dark grey | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |
| ● AZ6832 black | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |

OPLO 650 3000K IP54 NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6833 dark grey | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |
| ● AZ6834 black | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |


OPLO NUMBER WALL 3000K IP54 NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6835 dark grey | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |
| ● AZ6836 black | 1x LED integrated | 10W | 800lm | 3000K | IP54 | Aluminium / PVC | Matt |




SVAN IP54



| Code / Color | Light source | Protection class | Material | Finish |
|------------------------|------------------|------------------|-------------------|--------|
| ● AZ5859 black / clear | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |


SVAN SENSOR IP54



| Code / Color | Light source | Protection class | Type of control | Material | Finish |
|------------------------|------------------|------------------|-----------------|-------------------|--------|
| ● AZ5860 black / clear | 1x GU10 only LED | IP54 | MOTION SENSOR | Aluminium / Glass | Matt |




FRAME IP65 WALL 3000/4000K NEW




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6633 dark grey | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6635 corten | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ7014 black | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6634 dark grey | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6636 corten | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |
| ● AZ7015 black | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |

FRAME IP65 30 3000/4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6638 corten | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6684 dark grey | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6760 black | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6685 corten | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6686 dark grey | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6761 black | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |


FRAME IP65 60 3000/4000K NEW



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6629 dark grey | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6631 corten | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6762 black | 1x LED integrated | 12W | 960lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6630 dark grey | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6632 corten | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6763 black | 1x LED integrated | 12W | 960lm | 4000K | IP65 | Aluminium / PVC | Matt |




FRAME WALL V.2 IP65



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6321 black | 1x LED integrated | 8W | 800lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6322 dark grey | 1x LED integrated | 8W | 800lm | 3000K | IP65 | Aluminium / PVC | Matt |



FRAME SPIKE V.2 IP65



| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6319 black | 1x LED integrated | 8W | 800lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6320 dark grey | 1x LED integrated | 8W | 800lm | 3000K | IP65 | Aluminium / PVC | Matt |




FRAME 70 V.2 IP65




| Code / Color | Light source | Power | Lumens | Kelvins | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------------|-----------------|--------|
| ● AZ6317 black | 1x LED integrated | 8W | 800lm | 3000K | IP65 | Aluminium / PVC | Matt |
| ● AZ6318 dark grey | 1x LED integrated | 8W | 800lm | 3000K | IP65 | Aluminium / PVC | Matt |



ROLF 1 WALL IP44




| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4475 black | 1x GU10 only LED | IP44 | Aluminium / Glass | Matt |
| ● AZ4476 dark grey | 1x GU10 only LED | IP44 | Aluminium / Glass | Matt |
| ○ AZ4477 white | 1x GU10 only LED | IP44 | Aluminium / Glass | Matt |




ROLF 2 500 IP44




| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4456 black | 2x GU10 only LED | IP44 | Aluminium / Glass | Matt |
| ● AZ4457 dark grey | 2x GU10 only LED | IP44 | Aluminium / Glass | Matt |




ROLF 2 900 IP44



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4458 black | 2x GU10 only LED | IP44 | Aluminium / Glass | Matt |
| ● AZ4459 dark grey | 2x GU10 only LED | IP44 | Aluminium / Glass | Matt |



SORANO WALL IP54




| Code / Color | Light source | Protection class | Material | Finish |
|----------------------------|-----------------|------------------|-----------------|--------|
| ● AZ4357 dark grey / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |

SORANO 700 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------------------|-----------------|------------------|-----------------|--------|
| ● AZ4359 dark grey / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |

SORANO 500 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------------------|-----------------|------------------|-----------------|--------|
| ● AZ4444 black / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |
| ● AZ4358 dark grey / white | 1x E27 only LED | IP54 | Aluminium / PVC | Matt |




NILS WALL IP44



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ4478 black | 1x E27 only LED | IP44 | Aluminium / PVC | Matt |

NILS 500 IP44




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ4480 black | 1x E27 only LED | IP44 | Aluminium / PVC | Matt |

NILS WALL SENSOR IP44




MASTER SLAVE SYSTEM (OPTION)




| Code / Color | Light source | Protection class | Type of control | Material | Finish |
|----------------|-----------------|------------------|-----------------|-----------------|--------|
| ● AZ4479 black | 1x E27 only LED | IP44 | MOTION SENSOR | Aluminium / PVC | Matt |

NILS 800 IP44




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|-----------------|------------------|-----------------|--------|
| ● AZ4481 black | 1x E27 only LED | IP44 | Aluminium / PVC | Matt |

AGAPE 60 IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ3482 dark grey | 1x LED integrated | 6W | 480lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium | Matt |

MATERA 600 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-----------|--------|
| ● AZ2185 dark grey | 1x GU10 only LED | IP54 | Aluminium | Matt |



AGAPE 80 IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|--------------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ3483 dark grey | 1x LED integrated | 6W | 480lm | 3000K | 0° | ≥ 80 | IP54 | Aluminium | Matt |




SVERRE IP54



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ5711 black | 1x LED integrated | 5W | 400lm | 3000K | 120° | ≥ 80 | IP54 | Aluminium | Matt |



AROS IP67 3000/4000K



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------------------|-------------------|-------|--------|---------|------------|------|------------------|---------------|---------|
| ● AZ5843 aluminium / clear | 1x LED integrated | 12W | 960lm | 3000K | 15° | ≥ 80 | IP67 | Metal / Glass | Brushed |
| ● AZ5844 aluminium / clear | 1x LED integrated | 12W | 960lm | 4000K | 15° | ≥ 80 | IP67 | Metal / Glass | Brushed |



TRAST 1 IP54




| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-------------------|--------|
| ● AZ5861 black | 1x GU10 only LED | IP54 | Aluminium / Glass | Matt |



tilt

TRAST 2 IP54



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-----------|--------|
| ● AZ5862 black | 1x GU10 only LED | IP54 | Aluminium | Matt |



tilt

EDVIN IP65



| Code / Color | Light source | Protection class | Material | Finish |
|----------------|------------------|------------------|-------------------|--------|
| ● AZ4502 black | 1x GU10 only LED | IP65 | Aluminium / Glass | Matt |



tilt

EDVARD IP65



| Code / Color | Light source | Protection class | Material | Finish |
|--------------------|------------------|------------------|-------------------|--------|
| ● AZ4503 dark grey | 1x GU10 only LED | IP65 | Aluminium / Glass | Matt |



tilt

FLOKI 3000/4000K IP65




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|-----------|--------|
| ● AZ4468 black | 1x LED integrated | 5W | 400lm | 3000K | 44° | ≥ 80 | IP65 | Aluminium | Matt |
| ● AZ4467 black | 1x LED integrated | 5W | 400lm | 4000K | 43° | ≥ 80 | IP65 | Aluminium | Matt |



tilt



HEDDA IP54



USB-C charging port




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Dimmable | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|----------|-----------------|-----------------|--------|
| ● AZ5700 black | 1x LED integrated | 4W | 320lm | 3000K | 120° | ≥ 80 | IP54 | Yes | SWITCH DIMMER | Aluminium / PVC | Matt |




| Battery for HEDDA IP54 | |
|-----------------------------|-----------------------------|
| Full charge time: | 6-8h |
| Reccomended charger: | 5V / 1A |
| Battery type: | Lithium battery (18650 x 2) |
| Capacity: | 4400 mAh / 3.7V |
| Charging cycles: | 500 |
| Capacity after 300 cycles: | 80% |
| Replaceable battery: | Yes |
| Brightness memory function: | Yes |

GILBERTO TABLE IP54




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | CRI | Protection class | Dimmable | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------|------------------|----------|-----------------|-----------------|--------|
| ○ AZ5334 white | 1x LED integrated | 2W | 160lm | 3000K | 110° | ≥ 80 | IP54 | Yes | TOUCH DIMMER | Aluminium / PVC | Matt |
| ● AZ5335 black | 1x LED integrated | 2W | 160lm | 3000K | 110° | ≥ 80 | IP54 | Yes | TOUCH DIMMER | Aluminium / PVC | Matt |
| ● AZ5336 brown | 1x LED integrated | 2W | 160lm | 3000K | 110° | ≥ 80 | IP54 | Yes | TOUCH DIMMER | Aluminium / PVC | Matt |



| Battery for GILBERTO TABLE IP54 | |
|---------------------------------|-----------------------------|
| Full charge time: | 6-8h |
| Reccomended charger: | 5V / 1A |
| Battery type: | Lithium battery (18650 x 2) |
| Capacity: | 4400 mAh / 3.7V |
| Charging cycles: | 500 |
| Capacity after 300 cycles: | 80% |
| Replaceable battery: | Yes |
| Brigtness memory function: | Yes |

HAVANA FLOOR IP44



| Code / Color | Light source | Protection class | Material | Finish |
|------------------------|-----------------|------------------|-------------|--------|
| ● AZ4662 black / white | 1x E27 only LED | IP44 | PVC / Metal | Matt |



BOOMBOX IP44

Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a convenient carrying handle. It features 7 light colors in different modes.

The lamp comes with a remote control, a rechargeable battery, and a USB charging cable. Battery operation allows for complete freedom of use, and the lamp can be placed anywhere without restrictions. It's a wonderful decoration that can inspire you to create a stunning garden arrangement. IP44 waterproof rating allows for outdoor use.

Play music from your smartphone or tablet via Bluetooth!



BOOMBOX IP44 REMOTE CONTROL

Turn on/off the light

Pairing a device

Choice of colors

Previous track

Quieter/louder

Play/stop music

Next track



Turn on/off the power

Light intensity adjustment

Mute

Light working mode

Light flashing to the beat of the music




BOOMBOX MEDIUM RGBW + REMONTE CONTROL IP44



| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | CCT | Dimmable | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------------------|-----|----------|-----------------|----------|--------|
| ○ AZ4664 white | 1x LED integrated | 5W | 800lm | 3000K | 360° | IP54 | Yes | Yes | Remote control | PVC | Matt |



BOOMBOX BUCKET RGBW + REMOTE CONTROL IP44




| Code / Color | Light source | Power | Lumens | Kelvins | Beam angle | Protection class | CCT | Dimmable | Type of control | Material | Finish |
|----------------|-------------------|-------|--------|---------|------------|------------------|-----|----------|-----------------|----------|--------|
| ○ AZ4665 white | 1x LED integrated | 10W | 144lm | 3000K | 360° | IP54 | Yes | Yes | Remote control | PVC | Matt |



A modern outdoor patio area featuring a light-colored stone wall and a concrete floor. Two wooden armchairs with light-colored cushions are arranged around a small, round, concrete table. A track lighting fixture is mounted on the ceiling, with a single light fixture hanging down. In the background, there are large potted plants and a glass door leading indoors. The scene is set during the day with soft lighting.

TRACK IP65 **NEW**


TRACK IP65 INSTALLATION SCHEME




TRACK IP65 LAMP INSTALLATION SCHEME




TRACK IP65 SUSPENSION INSTALLATION SCHEME



TRACK IP65 SUSPENSION CORNERS INSTALLATION SCHEME





TRACK IP65 (1m, 2m, 3m)

| Length/Color/Code | ● 1m black | ○ 1m white | ● 2m black | ○ 2m white | ● 3m black | ○ 3m white |
|-------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | | | | | |
| | AZ6920 | AZ6923 | AZ6921 | AZ6924 | AZ6922 | AZ6925 |

TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)



| Length/Kelvins/Color/Code | ● 1m 4000K black | ○ 1m 3000K white | ○ 1m 4000K white | ● 2m 4000K black | ○ 2m 3000K white | ○ 2m 4000K white | ● 3m 4000K black | ○ 3m 3000K white | ○ 3m 4000K white |
|---------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | | | | | | | | |
| | AZ7198 | AZ6926 | AZ6929 | AZ7199 | AZ6927 | AZ6930 | AZ7200 | AZ6928 | AZ6931 |

TRACK IP65 LED LINE FINISHING OPTIONS

CUT & END CAP

Seal the cut LED line with a waterproof end cap for a clean and secure finish.

* Requires **AZ6932**



CABLE EXIT

Shorten the power cable to the required length while maintaining IP65 protection.


* Requires **AZ6932**



CABLE EXIT

Connect two LED line sections securely.

* Requires **AZ6932**



TRACK IP65 LED LINE 3000/4000K (1m, 2m, 3m)

| Code | Length | Light source | Power | Lumens | Kelvins | Beam angle | Color | Material | Finish | IP |
|-----------------|--------|----------------|-------|--------|---------|------------|-------|----------|--------|------|
| ● AZ7198 | 1m | LED Integrated | 10W | 192lm | 4000K | 110° | Smoky | Silicone | Matt | IP65 |
| ○ AZ6926 | 1m | LED Integrated | 10W | 620lm | 3000K | 110° | White | Silicone | Matt | IP65 |
| ○ AZ6929 | 1m | LED Integrated | 10W | 660lm | 4000K | 110° | White | Silicone | Matt | IP65 |
| ● AZ7199 | 2m | LED Integrated | 20W | 320lm | 4000K | 110° | Smoky | Silicone | Matt | IP65 |
| ○ AZ6927 | 2m | LED Integrated | 20W | 1060lm | 3000K | 110° | White | Silicone | Matt | IP65 |
| ○ AZ6930 | 2m | LED Integrated | 20W | 1170lm | 4000K | 110° | White | Silicone | Matt | IP65 |
| ● AZ7200 | 3m | LED Integrated | 30W | 480lm | 4000K | 110° | Smoky | Silicone | Matt | IP65 |
| ○ AZ6928 | 3m | LED Integrated | 30W | 1610lm | 3000K | 110° | White | Silicone | Matt | IP65 |
| ○ AZ6931 | 3m | LED Integrated | 30W | 1780lm | 4000K | 110° | White | Silicone | Matt | IP65 |





TRACK IP65 COVER STRAIGHT CONNECTOR

Code/Color ● black AZ6936
○ white AZ6937



TRACK IP65 MECHANICAL STRAIGHT CONNECTOR BK

Code ● black AZ6712



TRACK IP65 COVER CORNER A

Code/Color ● black AZ6938
○ white AZ6939



TRACK IP65 MECHANICAL CORNER A CONNECTOR BK

Code ● black AZ6713



TRACK IP65 COVER CORNER B CONNECTOR

Code/Color ● black AZ7421
○ white AZ7422




TRACK IP65 COVER T CONNECTOR

Code/Color ● black AZ6942
○ white AZ6943



TRACK IP65 MECHANICAL T CONNECTOR BK

Code ● black AZ6714



TRACK IP65 COVER X CONNECTOR

Code/Color ● black AZ7419
○ white AZ7420



TRACK IP65 MECHANICAL X CONNECTOR BK

Code ● black AZ7418




TRACK IP65 END CAP

Code/Color ● black AZ6940
○ white AZ6941



TRACK IP65 SUSPENSION

Code/Color ● black AZ6934
○ white AZ6935



TRACK IP65 CONNECTORS SET

Code/Color ○ white AZ6932



TRACK IP65 SILICONE GLUE

Code/Color ○ white AZ6971




TRACK IP65 DRIVER 100W/200W/300W

Code/Power 100W AZ6964
200W AZ6965
300W AZ6966



TRACK IP65 WATERPROOF CONNECTOR BOX

Code/Color ● black AZ6972



TRACK IP65 COVER DRIVER BOX (100W/200W)

Code/Color ● black AZ6969
 ○ white AZ6970




TRACK IP65 COVER DRIVER BOX (300W)

Code/Color ● black AZ6967
 ○ white AZ6968




TRACK IP65 CONTROL OPTIONS




**2.4G + PANEL
REMOTE CONTROL 5in1 SET BK**
Code AZ6846



DA4-L DALI LED DIMMER 4-CHANNEL
Code AZ6847




TRACK IP65 LIDO 10W DIMM 3000/4000K NEW



| | | |
|--------------------------|------------------------------------|-----------------------|
| Voltage 48V | Light source 1 x LED Integrated | Power 10W |
| Lumens 600lm 600lm | Kelvins 3000K 4000K | Beam angle 45° |
| CRI ≥ 90 | Protection level IP65 | Material Aluminium |
| Finish Matt | | |

- 3000K black AZ6948
- 3000K white AZ6949
- 4000K black AZ6950
- 4000K white AZ6951




TRACK IP65 LIDO 20W DIMM 3000/4000K NEW



| | | |
|---------------------------|------------------------------------|-----------------------|
| Voltage 48V | Light source 1 x LED Integrated | Power 20W |
| Lumens 1000lm 600lm | Kelvins 3000K 4000K | Beam angle 45° |
| CRI ≥ 90 | Protection level IP65 | Material Aluminium |
| Finish Matt | | |

- 3000K black AZ6953
- 3000K white AZ6952
- 4000K black AZ6955
- 4000K white AZ6954





TRACK IP65 MURANO 8W DIMM 3000/4000K NEW



| | | |
|--------------------------|------------------------------------|-----------------------|
| Voltage 48V | Light source 1 x LED Integrated | Power 8W |
| Lumens 530lm 530lm | Kelvins 3000K 4000K | Beam angle 50° |
| CRI ≥ 90 | Protection level IP65 | Material Aluminium |
| Finish Matt | | |

- 3000K black AZ6944
- 3000K white AZ6945
- 4000K black AZ6946
- 4000K white AZ6947




TRACK IP65 FERNA 16W DIMM 3000/4000K NEW




| | | |
|--------------------------|------------------------------------|-----------------------|
| Voltage 48V | Light source 1 x LED Integrated | Power 16W |
| Lumens 660lm 660lm | Kelvins 3000K 4000K | Beam angle 38° |
| CRI ≥ 90 | Protection level IP65 | Material Aluminium |
| Finish Matt | | |

- 3000K black AZ6956
- 3000K white AZ6957
- 4000K black AZ6958
- 4000K white AZ6959




TRACK IP65 SONIC DIMM 3000/4000K NEW



| | | |
|--------------------------|------------------------------------|-----------------------|
| Voltage 48V | Light source 1 x LED Integrated | Power 11W |
| Lumens 880lm 880lm | Kelvins 3000K 4000K | Beam angle 38° |
| CRI ≥ 90 | Protection level IP65 | Material Aluminium |
| Finish Matt | | |

- 3000K black AZ 6 9 6 0
- 3000K white AZ 6 9 6 1
- 4000K black AZ 6 9 6 2
- 4000K white AZ 6 9 6 3



RESERVATIONS
TECHNOLOGICAL changes and limitations

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

We can paint the lamps in any RAL colour subject to an extra charge.
Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

RESERVATIONS
TECHNOLOGICAL changes and limitations

2 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 2 years is given for the driver for LED lamps and light modules (with diodes).

The warranty is counted from the day of purchase, confirmed by a bill or an invoice.
2 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 2 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

2 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

2 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.

Ra (CRI) - Colour Rendering Index EU standard - Ra ≥ 80
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw Standard UE - Ra ≥ 80
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI) - Index podania farieb Štandard EU - Ra ≥ 80
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI) - Index podání barev Standard EU - Ra ≥ 80
Nejlepší index podání barev Ra(CRI)=100