

AZZARDO®



Collection 2026/2027


---

aqua


AZZARDO®

Aqua

SERGIO MIRROR 60 HEATED CCT SWITCH




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	DIMM	CCT	Type of control	Material	Finish
● AZ5819 black	1x LED integrated	40W	3200lm	3000/4000K	IP44	Yes	Yes	TOUCH SWITCHES	Aluminium/PVC/Glass	Matt
● AZ5820 gold	1x LED integrated	40W	3200lm	3000/4000K	IP44	Yes	Yes	TOUCH SWITCHES	Aluminium/PVC/Glass	Matt






SERGIO MIRROR 80 HEATED CCT SWITCH



CCT SWITCH


Code / Color	Light source	Power	Lumens	Kelvins	Protection class	DIMM	CCT	Type of control	Material	Finish
● AZ5821 black	1x LED integrated	55W	4400lm	3000/4000K	IP44	Yes	Yes	TOUCH SWITCHES	Aluminium/PVC/Glass	Matt
● AZ5822 gold	1x LED integrated	55W	4400lm	3000/4000K	IP44	Yes	Yes	TOUCH SWITCHES	Aluminium/PVC/Glass	Matt

NOEMIE 1 IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ1310 chrome	1x GU10 only LED	IP44	Aluminium / Frosted Glass	Shiny
● AZ4136 black	1x GU10 only LED	IP44	Aluminium / Frosted Glass	Matt

NOEMIE 2 IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ2555 chrome	2x GU10 only LED	IP44	Aluminium / Frosted Glass	Shiny
● AZ4137 black	2x GU10 only LED	IP44	Aluminium / Frosted Glass	Matt


NOEMIE 3 IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ1306 chrome	3x GU10 only LED	IP44	Aluminium / Frosted Glass	Shiny
● AZ4138 black	3x GU10 only LED	IP44	Aluminium / Frosted Glass	Matt



## NOEMIE 3 ROUND IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ2556 chrome	4x GU10 only LED	IP44	Aluminium / Frosted Glass	Shiny

.....



## NOEMIE 4 IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ2557 chrome	4x GU10 only LED	IP44	Aluminium / Frosted Glass	Shiny

.....




## EPSILON 60 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ3347 black	1x LED integrated	18W	825lm	3000K	IP44	Aluminium/PVC	Matt
○ AZ5692 white	1x LED integrated	18W	825lm	3000K	IP44	Aluminium/PVC	Matt
● AZ3348 black	1x LED integrated	18W	850lm	4000K	IP44	Aluminium/PVC	Matt
○ AZ5693 white	1x LED integrated	18W	850lm	4000K	IP44	Aluminium/PVC	Matt




## EPSILON 90 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ3349 black	1x LED integrated	27W	1351lm	3000K	IP44	Aluminium/PVC	Matt
○ AZ5694 white	1x LED integrated	27W	1351lm	3000K	IP44	Aluminium/PVC	Matt
● AZ3350 black	1x LED integrated	27W	1313lm	4000K	IP44	Aluminium/PVC	Matt
○ AZ5695 white	1x LED integrated	27W	1313lm	4000K	IP44	Aluminium/PVC	Matt



## ARNO IP44 CCT SWITCH




CCT SWITCH

Code / Color	Light source	Power	Lumens	Kelvins	CCT	Type of control	Protection class	Material	Finish
● AZ5887 black	2x LED integrated	12W	960lm	3000/4000K	Yes	CCT SWITCH	IP44	Aluminium/PVC	Matt
● AZ5888 chrome	2x LED integrated	12W	960lm	3000/4000K	Yes	CCT SWITCH	IP44	Aluminium/PVC	Shiny
○ AZ5889 white	2x LED integrated	12W	960lm	3000/4000K	Yes	CCT SWITCH	IP44	Aluminium/PVC	Matt





PETRA 60 3000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2472 chrome	1x LED integrated	12W	839lm	3000K	IP44	Aluminium/PVC	Shiny




PETRA 90 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2471 chrome	1x LED integrated	23W	1586lm	3000K	IP44	Aluminium/PVC	Shiny




PETER 60 3000/4000K IP44




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2614 black	1x LED integrated	12W	710lm	3000K	IP44	Aluminium/PVC	Matt
● AZ2088 chrome	1x LED integrated	11W	766lm	4000K	IP44	Aluminium/PVC	Shiny
● AZ2615 black	1x LED integrated	11W	766lm	4000K	IP44	Aluminium/PVC	Matt

PETER 90 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2086 chrome	1x LED integrated	18W	930lm	3000K	IP44	Aluminium/PVC	Shiny
● AZ2089 chrome	1x LED integrated	18W	1080lm	4000K	IP44	Aluminium/PVC	Shiny


PETER 120 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2087 chrome	1x LED integrated	15W	1330lm	3000K	IP44	Aluminium/PVC	Shiny
● AZ2090 chrome	1x LED integrated	18W	1617lm	4000K	IP44	Aluminium/PVC	Shiny




## DALEN 3000/4000K



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2959 black	1x LED integrated	12W	894lm	3000K	IP20	Aluminium/PVC	Matt
○ AZ2960 white	1x LED integrated	12W	894lm	3000K	IP20	Aluminium/PVC	Matt
● AZ5251 gold	1x LED integrated	12W	894lm	3000K	IP20	Aluminium/PVC	Matt
● AZ2961 black	1x LED integrated	12W	960lm	4000K	IP20	Aluminium/PVC	Matt
○ AZ2962 white	1x LED integrated	12W	960lm	4000K	IP20	Aluminium/PVC	Matt
● AZ5252 gold	1x LED integrated	12W	960lm	4000K	IP20	Aluminium/PVC	Matt





## DALI 30 3000/4000K IP44




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2788 white	1x LED integrated	9W	720lm	3000K	IP44	Aluminium/PVC	Matt
● AZ2883 black	1x LED integrated	9W	720lm	3000K	IP44	Aluminium/PVC	Matt
● AZ5241 gold	1x LED integrated	9W	720lm	3000K	IP44	Aluminium/PVC	Matt
○ AZ2789 white	1x LED integrated	9W	720lm	4000K	IP44	Aluminium/PVC	Matt
● AZ2885 black	1x LED integrated	9W	720lm	4000K	IP44	Aluminium/PVC	Matt
● AZ5242 gold	1x LED integrated	9W	720lm	4000K	IP44	Aluminium/PVC	Matt

## DALI 45 3000/4000K IP44




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2790 white	1x LED integrated	12W	1136lm	3000K	IP44	Aluminium/PVC	Matt
● AZ2892 black	1x LED integrated	12W	1136lm	3000K	IP44	Aluminium/PVC	Matt
● AZ5243 gold	1x LED integrated	12W	1136lm	3000K	IP44	Aluminium/PVC	Matt
○ AZ2791 white	1x LED integrated	12W	1183lm	4000K	IP44	Aluminium/PVC	Matt
● AZ2893 black	1x LED integrated	12W	1183lm	4000K	IP44	Aluminium/PVC	Matt
● AZ5244 gold	1x LED integrated	12W	1183lm	4000K	IP44	Aluminium/PVC	Matt

DALI 60 3000/4000K IP44




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2792 white	1x LED integrated	18W	1440lm	3000K	IP44	Aluminium/PVC	Matt
● AZ2894 black	1x LED integrated	18W	1440lm	3000K	IP44	Aluminium/PVC	Matt
● AZ5245 gold	1x LED integrated	18W	1440lm	3000K	IP44	Aluminium/PVC	Matt
○ AZ2793 white	1x LED integrated	17W	2178lm	4000K	IP44	Aluminium/PVC	Matt
● AZ2895 black	1x LED integrated	17W	2178lm	4000K	IP44	Aluminium/PVC	Matt
● AZ5246 gold	1x LED integrated	17W	2178lm	4000K	IP44	Aluminium/PVC	Matt

DALI 90 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2794 white	1x LED integrated	24W	2165lm	3000K	IP44	Aluminium/PVC	Matt
● AZ2895 black	1x LED integrated	24W	2165lm	3000K	IP44	Aluminium/PVC	Matt
● AZ5247 gold	1x LED integrated	24W	2165lm	3000K	IP44	Aluminium/PVC	Matt
○ AZ2795 white	1x LED integrated	24W	2800lm	4000K	IP44	Aluminium/PVC	Matt
● AZ2897 black	1x LED integrated	24W	2800lm	4000K	IP44	Aluminium/PVC	Matt
● AZ5248 gold	1x LED integrated	24W	2800lm	4000K	IP44	Aluminium/PVC	Matt


DALI 120 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2792 white	1x LED integrated	36W	3278lm	3000K	IP44	Aluminium/PVC	Matt
● AZ2894 black	1x LED integrated	36W	3278lm	3000K	IP44	Aluminium/PVC	Matt
● AZ5245 gold	1x LED integrated	36W	3278lm	3000K	IP44	Aluminium/PVC	Matt
○ AZ2793 white	1x LED integrated	36W	3564lm	4000K	IP44	Aluminium/PVC	Matt
● AZ2895 black	1x LED integrated	36W	3564lm	4000K	IP44	Aluminium/PVC	Matt
● AZ5246 gold	1x LED integrated	36W	3564lm	4000K	IP44	Aluminium/PVC	Matt




## RADO 90 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2077 chrome	1x LED integrated	25W	983lm	3000K	IP44	Aluminium/Glass	Shiny
● AZ2080 chrome	1x LED integrated	24W	721lm	4000K	IP44	Aluminium/Glass	Shiny
● AZ2083 black	1x LED integrated	24W	721lm	4000K	IP44	Aluminium/Glass	Matt




## RADO 120 4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2081 chrome	1x LED integrated	29W	1229lm	3000K	IP44	Aluminium/Glass	Shiny




MICHEL 930 IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI303 white	1x T5 only LED	IP44	Aluminium / PVC	Shiny / Matt


MARGOT 930 IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI305 white / chrome	1x T5 only LED	IP44	Aluminium / PVC	Shiny




## LILIANE IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI297 white	2x G9 only LED	IP44	Metal / Glass	Shiny / Matt




GAIA 1 IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI604 white	1x G9 only LED	IP44	Metal / Glass	Matt


GAIA 2 IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI603 white	2x G9 only LED	IP44	Metal / Glass	Matt





PRONTO WALL 60 IP44 CCT SWITCH NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
● AZ6568 chrome	1x LED integrated	14W	1060lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	Aluminium	Shiny
● AZ6569 black	1x LED integrated	14W	1060lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	Aluminium	Matt

PRONTO WALL 90 IP44 CCT SWITCH NEW




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
● AZ6570 chrome	1x LED integrated	21W	1640lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	Aluminium	Shiny
● AZ6571 black	1x LED integrated	21W	1640lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	Aluminium	Matt

PANDORA WALL IP44 CCT SWITCH NEW



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
● AZ6572 chrome	1x LED integrated	11W	690lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	Aluminium	Shiny
● AZ6573 black	1x LED integrated	11W	690lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	Aluminium	Matt
● AZ6574 gold	1x LED integrated	11W	690lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	Aluminium	Shiny




ELMO WALL IP44 NEW

Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6798 black	1x LED integrated	32W	2630lm	3000K	IP44	Aluminium / Glass	Matt
○ AZ6799 white	1x LED integrated	32W	2630lm	3000K	IP44	Aluminium / Glass	Matt




## ANCONA S IP54




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2121 black	1x LED integrated	6W	445lm	3000K	IP54	Aluminium	Matt
○ AZ2129 white	1x LED integrated	6W	445lm	3000K	IP54	Aluminium	Matt
● AZ7141 beige	1x LED integrated	6W	445lm	3000K	IP54	Aluminium	Matt

## ANCONA M IP54




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2852 black	1x LED integrated	9W	890lm	3000K	IP54	Aluminium	Matt
○ AZ2853 white	1x LED integrated	9W	890lm	3000K	IP54	Aluminium	Matt
● AZ7143 beige	1x LED integrated	9W	890lm	3000K	IP54	Aluminium	Matt

## ANCONA L IP54



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2193 white	1x LED integrated	12W	721lm	3000K	IP54	Aluminium	Matt
● AZ2194 black	1x LED integrated	12W	721lm	3000K	IP54	Aluminium	Matt
● AZ7142 beige	1x LED integrated	12W	721lm	3000K	IP54	Aluminium	Matt

## ANCONA XL IP54



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ7144 white	1x LED integrated	15W	1110lm	3000K	IP54	Aluminium	Matt
● AZ7145 black	1x LED integrated	15W	1110lm	3000K	IP54	Aluminium	Matt
● AZ7146 beige	1x LED integrated	15W	1110lm	3000K	IP54	Aluminium	Matt


## GUIDO WALL IP54 3000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5339 black	1x LED integrated	12W	960lm	3000K	120°	≥ 90	IP54	Aluminium / PVC	Matt




## LENNART 100 IP54 3000/4000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5696 black	1x LED integrated	18W	1440lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7147 beige	1x LED integrated	18W	1440lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ5697 black	1x LED integrated	18W	1440lm	4000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7148 beige	1x LED integrated	18W	1440lm	4000K	120°	≥ 90	IP54	Aluminium	Matt


## LENNART 150 IP54 3000/4000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ5698 black	1x LED integrated	24W	1920lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7149 beige	1x LED integrated	24W	1920lm	3000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ5699 black	1x LED integrated	24W	1920lm	4000K	120°	≥ 90	IP54	Aluminium	Matt
● AZ7150 beige	1x LED integrated	24W	1920lm	3000K	120°	≥ 90	IP54	Aluminium	Matt

GUSTO 90 WALL IP54 3000/4000K NEW


Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6839 black	1x LED integrated	9W	365lm	3000K	IP54	Aluminium	Matt
● AZ6840 dark grey	1x LED integrated	9W	365lm	3000K	IP54	Aluminium	Matt
● AZ6843 black	1x LED integrated	9W	365lm	4000K	IP54	Aluminium	Matt
● AZ6844 dark grey	1x LED integrated	9W	365lm	4000K	IP54	Aluminium	Matt

GUSTO 120 WALL IP54 3000/4000K NEW

Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6837 black	1x LED integrated	12W	490lm	3000K	IP54	Aluminium	Matt
● AZ7149 dark grey	1x LED integrated	12W	490lm	3000K	IP54	Aluminium	Matt
● AZ6841 black	1x LED integrated	12W	490lm	4000K	IP54	Aluminium	Matt
● AZ7150 dark grey	1x LED integrated	12W	490lm	4000K	IP54	Aluminium	Matt




KARI 22 IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2065 chrome / white	1x LED integrated	12W	488lm	3000K	IP44	Glass/Metal	Shiny
● AZ4257 black / white	1x LED integrated	12W	488lm	3000K	IP44	Glass/Metal	Matt




KARI 30 IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ4257 black / white	1x LED integrated	17W	799lm	3000K	IP44	Glass/Metal	Matt




ASTERIA 25 3000/4000K IP44




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2072 chrome	1x LED integrated	18W	1440lm	3000K	IP44	Aluminium/PVC	Shiny
● AZ2478 chrome	1x LED integrated	18W	1440lm	4000K	IP44	Aluminium/PVC	Shiny

ASTERIA 30 3000K IP44




Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ2073 chrome	1x LED integrated	24W	1920lm	3000K	IP44	Aluminium/PVC	Shiny

UMBRA 18 ROUND IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ1596 chrome	1x G9 only LED	IP44	Aluminium / Glass	Shiny

UMBRA 31 ROUND IP44




Code / Color	Light source	Protection class	Material	Finish
● AZ1597 chrome	1x E27 only LED	IP44	Aluminium / Glass	Shiny

OPTIMUS 33 ROUND IP44




Code / Color	Light source	Protection class	Material	Finish
○ AZI598 white	2x E27 only LED	IP44	Aluminium / Glass	Matt

OPTIMUS 53 ROUND IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI600 white	4x E27 only LED	IP44	Aluminium / Glass	Matt


OPTIMUS 43 ROUND IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI599 white	3x E27 only LED	IP44	Aluminium / Glass	Matt




MIL IP44



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
○ AZ2067 white/chrome	1x LED integrated	6W	416lm	3000K	IP44	Aluminium/Glass	Shiny




COLETTE 2 IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZI311 white / chrome	2x E27 only LED	IP44	Metal / Glass	Shiny / Matt




LUCIE 25 IP44




Code / Color	Light source	Protection class	Material	Finish
● AZI308 chrome	2x E27 only LED	IP44	Aluminium / PVC	Shiny / Matt
● AZI4146 black	2x E27 only LED	IP44	Aluminium / PVC	Matt

RITA IP54





Code / Color	Light source	Protection class	Material	Finish
○ AZI307 white/chrome	2x E27 only LED	IP54	Aluminium / Glass	Shiny / Matt

LUCIE 43 IP44




Code / Color	Light source	Protection class	Material	Finish
● AZI309 chrome	3x E27 only LED	IP44	Aluminium / PVC	Shiny / Matt
● AZI4147 black	3x E27 only LED	IP44	Aluminium / PVC	Matt



PANDINO 30 CCT SWITCH 3-STEP DIMM IP44 NEW


CCT SWITCH

Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
○ AZ6583 white	1x LED integrated	23W	1518lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt
● AZ6584 black	1x LED integrated	23W	1518lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt


PANDINO 40 CCT SWITCH 3-STEP DIMM IP44 NEW

CCT SWITCH


Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
○ AZ6585 white	1x LED integrated	32W	2630lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt
● AZ6586 black	1x LED integrated	32W	2630lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt

PANDINO 23 CCT SWITCH SENSOR IP44 NEWSENSOR  
time 15-90s  
range 2-8m

Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
○ AZ6587 white	1x LED integrated	18W	1440lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt
● AZ6588 black	1x LED integrated	18W	1440lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt


PANDINO 30 CCT SWITCH SENSOR IP44 NEWSENSOR  
time 15-90s  
range 2-8m

Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
○ AZ6589 white	1x LED integrated	24W	1920lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt
● AZ6590 black	1x LED integrated	24W	1920lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt

PANDINO 40 CCT SWITCH SENSOR IP44 NEWSENSOR  
time 15-90s  
range 2-8m



Code / Color	Light source	Power	Lumens	Kelvins	Protection class	CCT	Type of control	Material	Finish
○ AZ6591 white	1x LED integrated	32W	2630lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt
● AZ6592 black	1x LED integrated	32W	2630lm	3000/4000/6000K	IP44	Yes	CCT SWITCH	PVC	Matt

## BRANT IP44 WHITE




Code / Color	Light source	Protection class	Material	Finish
○ AZ2690 white / white	1x GU10 only LED	IP44	Aluminium / Glass	Matt

## BRANT SQUARE IP44





Code / Color	Light source	Protection class	Material	Finish
● AZ2822 black	1x GU10 only LED	IP44	Aluminium / Glass	Matt
○ AZ2878 white	1x GU10 only LED	IP44	Aluminium / Glass	Matt

## BRANT 2 IP44 WHITE



Code / Color	Light source	Protection class	Material	Finish
○ AZ2816 white	2x GU10 only LED	IP44	Aluminium / Glass	Matt

## BRANT 2 SQUARE IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZ2823 white	2x GU10 only LED	IP44	Aluminium / Glass	Matt
● AZ2879 black	2x GU10 only LED	IP44	Aluminium / Glass	Matt



## ARO



Code / Color	Light source	Protection class	Material	Finish
● AZ1360 chrome	1x GU10 only LED	IP54	Aluminium	Shiny
● AZ2558 black	1x GU10 only LED	IP54	Aluminium	Matt
○ AZ2559 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ5240 gold	1x GU10 only LED	IP54	Aluminium	Shiny




PAPIKO IP65



Code / Color	Light source	Protection class	Material	Finish
● AZ4216 black	1x GU10 only LED	IP65	Aluminium / Glass	Matt
○ AZ4217 white	1x GU10 only LED	IP65	Aluminium / Glass	Matt
● AZ6077 gold	1x GU10 only LED	IP65	Aluminium / Glass	Shiny

CONYON IP54 15W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Type of control	Material	Finish
● AZ6027 black	1x LED integrated	15W	1200lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt
○ AZ6028 white	1x LED integrated	15W	1200lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt

CONYON IP54 10W CCT SWITCH




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Type of control	Material	Finish
● AZ6025 black	1x LED integrated	10W	800lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt
○ AZ6026 white	1x LED integrated	10W	800lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt


CONYON IP54 25W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	Protection class	CCT	Type of control	Material	Finish
● AZ6029 black	1x LED integrated	25W	2000lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt
○ AZ6030 white	1x LED integrated	25W	2000lm	3000 / 4000 / 6000K	60°	IP54	Yes	CCT Switch	Aluminium	Matt

MARTON LED IP44 3000K **NEW**


Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6858 black <b>NEW</b>	1x LED integrated	8W	710lm	3000K	IP44	Aluminium	Matt
○ AZ6859 white <b>NEW</b>	1x LED integrated	8W	710lm	3000K	IP44	Aluminium	Matt
● AZ6860 chrome <b>NEW</b>	1x LED integrated	8W	721lm	3000K	IP44	Aluminium	Shiny
● AZ6861 gold <b>NEW</b>	1x LED integrated	8W	721lm	3000K	IP44	Aluminium	Shiny

MARTON LED IP44 4000K **NEW**

Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ6854 black <b>NEW</b>	1x LED integrated	8W	879lm	4000K	IP44	Aluminium	Matt
○ AZ6855 white <b>NEW</b>	1x LED integrated	8W	879lm	4000K	IP44	Aluminium	Matt
● AZ6856 chrome <b>NEW</b>	1x LED integrated	8W	918lm	4000K	IP44	Aluminium	Shiny
● AZ6857 gold <b>NEW</b>	1x LED integrated	8W	918lm	4000K	IP44	Aluminium	Shiny



## MARTON GX53 IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZ6442 white	1x GX53	IP44	Aluminium / PVC	Matt
● AZ6443 black	1x GX53	IP44	Aluminium / PVC	Matt
● AZ6866 chrome <b>NEW</b>	1x GX53	IP44	Aluminium / PVC	Matt
● AZ6867 gold <b>NEW</b>	1x GX53	IP44	Aluminium / PVC	Matt



MIRT IP65 8W 3000/4000 BK NEW


Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7094 black	1x LED integrated	8W	640lm	3000K	IP65	Aluminium/PVC	Matt
● AZ7096 black	1x LED integrated	8W	640lm	4000K	IP65	Aluminium/PVC	Matt

MIRT IP65 15W 3000/4000 BK NEW

Code / Color	Light source	Power	Lumens	Kelvins	Protection class	Material	Finish
● AZ7095 black	1x LED integrated	15W	1200lm	3000K	IP65	Aluminium/PVC	Matt
● AZ7097 black	1x LED integrated	15W	1200lm	4000K	IP65	Aluminium/PVC	Matt




## OSCAR IP44



Code / Color	Light source	Protection class	Material	Finish
○ AZ1714 white	1x GU10 only LED	IP44	Aluminium	Matt
● AZ1715 chrome	1x GU10 only LED	IP44	Aluminium	Shiny
● AZ2800 gold	1x GU10 only LED	IP44	Aluminium	Brushed
● AZ2692 black	1x GU10 only LED	IP44	Aluminium	Matt




## LUCID IP44 10W CCT SWITCH



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	CCT	Type of control	Material	Finish
● AZ6042 black	1x LED integrated	10W	800lm	3000/4000/6000K	120°	≥ 90	IP44	Yes	CCT Switch	Aluminium / PVC	Matt
○ AZ6043 white	1x LED integrated	10W	800lm	3000/4000/6000K	120°	≥ 90	IP44	Yes	CCT Switch	Aluminium / PVC	Matt




KANT S IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ6049 black	1x GU10 only LED	IP44	Aluminium	Matt
○ AZ6050 white	1x GU10 only LED	IP44	Aluminium	Matt
● AZ6051 gold	1x GU10 only LED	IP44	Aluminium	Shiny




KANT R IP44



Code / Color	Light source	Protection class	Material	Finish
● AZ6046 black	1x GU10 only LED	IP44	Aluminium	Matt
○ AZ6047 white	1x GU10 only LED	IP44	Aluminium	Matt
● AZ6048 gold	1x GU10 only LED	IP44	Aluminium	Shiny





## EMILIO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ0808 chrome	1x GU10 only LED	IP54	Aluminium	Shiny
● AZ0809 black	1x GU10 only LED	IP54	Aluminium	Matt
● AZ0810 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
○ AZ0871 white	1x GU10 only LED	IP54	Aluminium	Matt





## EZIO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ0811 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
● AZ0812 black	1x GU10 only LED	IP54	Aluminium	Matt
○ AZ0813 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ1051 chrome	1x GU10 only LED	IP54	Aluminium	Shiny




## PABLO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
○ AZ0817 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ1015 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
● AZ4140 black	1x GU10 only LED	IP54	Aluminium	Matt




## TITO 1 IP54



Code / Color	Light source	Protection class	Material	Finish
● AZ0814 aluminium	1x GU10 only LED	IP54	Aluminium	Brushed
○ AZ0815 white	1x GU10 only LED	IP54	Aluminium	Matt
● AZ4139 black	1x GU10 only LED	IP54	Aluminium	Matt




## IKA SQUARE IP65



Code / Color	Light source	Protection class	Material	Finish
○ AZ2864 white	1x GU10 only LED	IP65	Aluminium	Matt
● AZ4230 black	1x GU10 only LED	IP65	Aluminium	Matt
● AZ4231 dark grey	1x GU10 only LED	IP65	Aluminium	Matt




## IKA ROUND IP65



Code / Color	Light source	Protection class	Material	Finish
○ AZ2865 white	1x GU10 only LED	IP65	Aluminium	Matt
● AZ3017 black	1x GU10 only LED	IP65	Aluminium	Matt
● AZ4232 dark grey	1x GU10 only LED	IP65	Aluminium	Matt




## GALATA R 3000/4000K



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4379 black / white	1x LED integrated	9W	720lm	3000K	98°	≥ 80	IP44	Aluminium / Glass	Matt
● AZ4381 black / white	1x LED integrated	9W	720lm	4000K	98°	≥ 80	IP44	Aluminium / Glass	Matt




## KASTORIA 3000K GO



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ4390 gold / white	1x LED integrated	7W	560lm	3000K	101°	≥ 80	IP44	Metal / Glass	Shiny / Frosted




## LINZ 3000/4000K CHROME IP44



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
○ AZ2774 clear / chrome	1x LED integrated	6W	480lm	3000K	135°	≥ 80	IP44	Acrylic / Aluminium	Frosted / Shiny
○ AZ2775 clear / chrome	1x LED integrated	6W	480lm	4000K	141°	≥ 80	IP44	Acrylic / Aluminium	Frosted / Shiny



## UNA 3000/4000K CHROME IP44



Code / Color	Light source	Power	Lu- mens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
○ AZ2772 chrome / clear	1x LED integrated	8W	640lm	3000K	137°	≥ 80	IP44	Aluminium / Glass	Shiny / Frosted
○ AZ2773 chrome / clear	1x LED integrated	8W	640lm	4000K	137°	≥ 80	IP44	Aluminium / Glass	Shiny / Frosted




LAMIR R 9 3000/4000K




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
○ AZ4384 white	1x LED integrated	9W	720lm	3000K	119°	≥ 80	IP44	Aluminium / PVC	Matt
○ AZ4383 white	1x LED integrated	9W	720lm	4000K	119°	≥ 80	IP44	Aluminium / PVC	Matt

LAMIR R 12 3000/4000K





Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
○ AZ4385 white	1x LED integrated	16W	1280lm	3000K	120°	≥ 90	IP44	Aluminium / PVC	Matt
○ AZ4386 white	1x LED integrated	16W	1280lm	4000K	120°	≥ 90	IP44	Aluminium / PVC	Matt

LAMIR R 17 3000/4000K DIMM + REMOTE CONTROL




Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Dimmable	Type of control	Material	Finish
○ AZ4387 white	1x LED integrated	22W	1760lm	3000K	116°	≥ 90	IP44	Yes	Remote control	Aluminium / PVC	Matt
○ AZ4392 white	1x LED integrated	22W	1760lm	4000K	116°	≥ 90	IP44	Yes	Remote control	Aluminium / PVC	Matt

LAMIR S 17 3000/4000K DIMM + REMOTE CONTROL



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Dimmable	Type of control	Material	Finish
○ AZ4388 white	1x LED integrated	22W	1760lm	3000K	117°	≥ 90	IP44	Yes	Remote control	Aluminium / PVC	Matt
○ AZ4393 white	1x LED integrated	22W	1760lm	4000K	117°	≥ 90	IP44	Yes	Remote control	Aluminium / PVC	Matt


SLIM 9 SQUARE 3000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
○ AZ2830 white	1x LED integrated	6W	480lm	3000K	109°	≥ 90	IP44	Aluminium / PVC	Matt
● AZ2833 black	1x LED integrated	6W	480lm	3000K	109°	≥ 90	IP44	Aluminium / PVC	Matt




SLIM 15 SQUARE 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ2836 black	1x LED integrated	11W	880lm	3000K	112°	≥ 90	IP44	Aluminium / PVC	Matt
○ AZ2837 white	1x LED integrated	11W	880lm	3000K	112°	≥ 90	IP44	Aluminium / PVC	Matt




## SLIM 9 ROUND 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ2861 chrome	1x LED integrated	6W	480lm	3000K	110°	≥ 90	IP44	Aluminium / PVC	Shiny
○ AZ2831 white	1x LED integrated	6W	480lm	3000K	110°	≥ 90	IP44	Aluminium / PVC	Matt
● AZ2834 black	1x LED integrated	6W	480lm	3000K	110°	≥ 90	IP44	Aluminium / PVC	Matt
● AZ2862 chrome	1x LED integrated	6W	480lm	4000K	109°	≥ 90	IP44	Aluminium / PVC	Shiny
○ AZ2832 white	1x LED integrated	6W	480lm	4000K	109°	≥ 90	IP44	Aluminium / PVC	Matt
● AZ2835 black	1x LED integrated	6W	480lm	4000K	109°	≥ 90	IP44	Aluminium / PVC	Matt



## SLIM 15 ROUND 3000/4000K IP44



Code / Color	Light source	Power	Lumens	Kelvins	Beam angle	CRI	Protection class	Material	Finish
● AZ2838 chrome	1x LED integrated	12W	960lm	3000K	114°	≥ 90	IP44	Aluminium / PVC	Shiny
○ AZ2839 white	1x LED integrated	12W	960lm	3000K	114°	≥ 90	IP44	Aluminium / PVC	Matt
● AZ2840 black	1x LED integrated	12W	960lm	3000K	114°	≥ 90	IP44	Aluminium / PVC	Matt
● AZ2841 chrome	1x LED integrated	11W	880lm	4000K	114°	≥ 90	IP44	Aluminium / PVC	Shiny
○ AZ2842 white	1x LED integrated	11W	880lm	4000K	114°	≥ 90	IP44	Aluminium / PVC	Matt
● AZ2843 black	1x LED integrated	11W	880lm	4000K	114°	≥ 90	IP44	Aluminium / PVC	Matt



**RESERVATIONS**  
TECHNOLOGICAL changes and limitations

We reserve the rights to make changes in the product range, design and model.  
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.  
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.  
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.  
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.  
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

**RESERVATIONS**  
TECHNOLOGICAL changes and limitations

2 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).  
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 2 years is given for the driver for LED lamps and light modules (with diodes).

The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

2 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.  
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 2 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

2 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja  
Záručná doba sa počíta od dátumu zakúpenia tovaru.

2 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.  
Záruční doba se počítá od datumu zakoupení zboží.

Ra (CRI) - Colour Rendering Index EU standard - Ra ≥ 80  
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw Standard UE - Ra ≥ 80  
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI) - Index podania farieb Štandard EU - Ra ≥ 80  
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI) - Index podání barev Standard EU - Ra ≥ 80  
Nejlepší index podání barev Ra(CRI)=100