

AZZARDO®

















Platinum collection


2026/2027

AZZARDO®

Platinum collection

	Alexandria	40		Altun	36		Angola	26		Babil	30		Birma	28
	Liman	34		Mali	32		Moroni	38		Sigma Angola	24		Sigma Cora	22
	Sigma Evia	20		Sigma Kira	12		Sigma Niko	16		Sigma Saga	8	SIGMA TRACK MAGNETIC ACCESSORIES		
												Sigma Track Magnetic	4	

pictorial
list



AZzardo

Platinum collection



NOWOCZESNE OBLICZE ŚWIATŁA


PL Kolekcja Platinum to połączenie ponadczasowego minimalizmu z innowacyjną technologią. Aluminiowe oprawy o anodowanych wykończeniach w odcieniach złota, tytanu i brązu zostały stworzone z myślą o najbardziej wymagających aranżacjach. Każdy detal - od smukłych form po precyzyjne wykończenie podkreśla luksusowy charakter kolekcji. Dzięki zintegrowanym modułom LED, funkcjom CCT SWITCH oraz systemom sterowania Bluetooth i DALI, Platinum oferuje światło, które można dopasować do nastroju i funkcji wnętrza. To oświetlenie, które łączy estetykę z technologią i podnosi standard każdej przestrzeni.

THE MODERN FACE OF LIGHT

EN The Platinum collection combines timeless minimalism with innovative technology. Aluminium fixtures with anodized finishes in gold, titan, white and bronze shades are designed for the most demanding interiors. Every detail - from slim forms to precise craftsmanship - reflects the luxurious character of the collection. With integrated LED modules, CCT SWITCH function, and Bluetooth and DALI control systems, Platinum offers lighting that adapts to both mood and purpose. It is illumination that merges aesthetics with technology, elevating the standard of any space.



SIGMA TRACK MAGNETIC

Platinum collection




Sigma Track Magnetic (1m, 2m)

- Length/Color/Code
- 1m gold ... AZ7057
 - 1m titan ... AZ7059
 - 2m gold ... AZ7058
 - 2m titan ... AZ7060





Sigma Track Magnetic Corner A (Corner90 A)

- Color/Code
- gold ... AZ7061
 - titan ... AZ7062





Sigma Track Magnetic Corner B (Corner90 B)

- Color/Code
- gold ... AZ7063
 - titan ... AZ7064




Sigma Track Magnetic Low End Cap (LOW)

- Color/Code
- gold ... AZ7065
 - titan ... AZ7066



Sigma Track Magnetic High End Cap (HIGH)


- Color/Code
- gold ... AZ7067
 - titan ... AZ7068






Sigma Track Magnetic Electric Corner Connector A (Corner90 A)

- Color/Code
- gold ... AZ7070
 - titan ... AZ7071




Sigma Track Magnetic Electric Corner Connector B (Corner90 B)

- Color/Code
- gold ... AZ7072
 - titan ... AZ7073




Sigma Track Magnetic Straight Electric Connector

- Color/Code
- gold ... AZ7074
 - titan ... AZ7075



Sigma Track Magnetic Cover (20cm, 50cm)

- Length/Color/Code
- 20cm gold ... AZ7078
 - 20cm titan ... AZ7079
 - 50cm gold ... AZ7080
 - 50cm titan ... AZ7081




Sigma Track Magnetic Electric Suspension

- Color/Code
- gold ... AZ7101
 - titan ... AZ7103



Sigma Track Magnetic Suspension

- Color/Code
- gold ... AZ7102
 - titan ... AZ7104



Sigma Track Magnetic Electric Outside Driver Connector

- Color/Code
- gold ... AZ7076
 - titan ... AZ7077




Driver Outside Meanwell (100W, 200W)

- Power/Code
- 100W ... AZ4691
 - 200W ... AZ4692




Sigma Track Magnetic Driver Inside 100W/200W

- Power/Color/Code
- 100W gold ... AZ7082
 - 100W titan ... AZ7084
 - 200W gold ... AZ7083
 - 200W titan ... AZ7085



Sigma Track Magnetic Straight Mechanical Connector


- Code
- ... AZ7069



Remote Control Bluetooth



Platinum collection
SAGA TRACK MAGNETIC



ŚWIATŁO W JEDNOLITEJ LINII

PL Sigma Saga (10W, 20W) to aluminiowe oprawy liniowe, w których mleczny dyfuzor tworzy elegancką, równomierną linię światła. Anodowane wykończenia w kolorze złotym i tytanowym nadają im luksusowego charakteru, a możliwość pracy w systemie Bluetooth lub DALI sprawia, że doskonale odnajdują się w nowoczesnych aranżacjach.


LIGHT IN A CONTINUOUS LINE

EN Sigma Saga (10W, 20W) are aluminium linear fixtures where a milky diffuser creates an elegant, uniform line of light. Available in anodized gold and titan finishes, they bring a sense of luxury, while Bluetooth and DALI compatibility make them perfect for contemporary interiors.




Sigma Saga Track Magnetic 10W CCT Bluetooth

- Color/Code ● AZ7047 gold
● AZ7049 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 10W
- Kelvins 3000 - 6000K
- Lumens 860lm
- CRI [Ra] ≥ 90
- Beam angle 120°
- Dimmable YES
- CCT YES
- Remote Control OPTION
- Type of control BLUETOOTH



Texture & Materials




gold titan


DALI

Sigma Saga Track Magnetic 10W CCT Dali

- Color/Code ● AZ7177 gold
● AZ7179 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 10W
- Kelvins 3000 - 6000K
- Lumens 730lm
- CRI [Ra] ≥ 90
- Beam angle 120°
- Dimmable YES
- CCT YES
- Type of control DALI



Texture & Materials




gold titan




Sigma Saga Track Magnetic 20W CCT Bluetooth

Color/Code	● AZ7048 gold
	● AZ7050 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 20W
Kelvins	3000 - 6000K
Lumens	1570lm
CRI [Ra]	≥ 90
Beam angle	120°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH



Texture & Materials




gold titan


DALI

Sigma Saga Track Magnetic 20W CCT Dali


Color/Code	● AZ7178 gold
	● AZ7180 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 20W
Kelvins	3000 - 6000K
Lumens	1570lm
CRI [Ra]	≥ 90
Beam angle	120°
Dimmable	YES
CCT	YES
Type of control	DALI




Texture & Materials



gold titan



Platinum collection
KIRA TRACK MAGNETIC



ŚWIATŁO W RYTMIE PUNKTÓW

PL Sigma Kira (10W, 20W) to liniowe oprawy, w których światło rozłożone jest w formie punktów, niczym świetlne akcenty zdobiące przestrzeń. Aluminiowa konstrukcja w kolorze złotym lub tytanowym łączy minimalistyczną estetykę z funkcjonalnością systemów Bluetooth i DALI, tworząc oświetlenie o unikalnym charakterze.


LIGHT IN RHYTHMIC ACCENTS

EN Sigma Kira (10W, 20W) are linear fixtures where light is distributed in distinct points, like luminous accents enriching the space. Crafted from aluminium in anodized gold or titan, they combine minimalist design with Bluetooth and DALI technology, offering illumination with a unique character.



Sigma Kira Track Magnetic 10W CCT Bluetooth

- Color/Code ● AZ7051 gold
● AZ7053 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 10W
- Kelvins 3000 - 6000K
- Lumens 1025lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Remote Control OPTION
- Type of control BLUETOOTH



Texture & Materials




gold titan

DALI

Sigma Kira Track Magnetic 10W CCT Dalı

- Color/Code ● AZ7181 gold
● AZ7183 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 10W
- Kelvins 3000 - 6000K
- Lumens 1020lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Type of control DALI



Texture & Materials




gold titan




Sigma Kira Track Magnetic 20W CCT Bluetooth

Color/Code	● AZ7052 gold
	● AZ7054 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 20W
Kelvins	3000 - 6000K
Lumens	1870lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH



Texture & Materials




gold titan


DALI

Sigma Kira Track Magnetic 20W CCT Dali


Color/Code	● AZ7182 gold
	● AZ7184 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 20W
Kelvins	3000 - 6000K
Lumens	1870lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials



gold titan



Platinum collection
NIKO TRACK MAGNETIC



ELASTYCZNOŚĆ W NOWOCZESNEJ FORMIE

PL Sigma Niko (8W, 10W) to reflektory, które można dowolnie ustawiać dzięki wychyleniu 90° i rotacji 350°. Wykonane z aluminium w anodowanych kolorach złotym i tytanowym, oferują swobodę w modelowaniu światła, a integracja z systemami Bluetooth i DALI czyni je praktycznym i estetycznym rozwiązaniem.


FLEXIBILITY IN MODERN FORM

EN Sigma Niko (8W, 10W) are adjustable spotlights with 90° tilt and 350° rotation, allowing full control over the light direction. Made of aluminium in anodized gold or titan finishes, they integrate with Bluetooth and DALI systems, delivering both practicality and style.




Sigma Niko Track Magnetic 8W CCT Bluetooth

Color/Code ● AZ7043 gold
● AZ7044 titan
Finish satin
Material aluminium
Voltage 48V
Light source 1 x LED integrated, 8W
Kelvins 3000 - 6000K
Lumens 650lm
CRI [Ra] ≥ 90
Beam angle 36°
Dimmable YES
CCT YES
Remote Control OPTION
Type of control BLUETOOTH




Texture & Materials




DALI

Sigma Niko Track Magnetic 8W CCT Dali

Color/Code ● AZ7173 gold
● AZ7174 titan
Finish satin
Material aluminium
Voltage 48V
Light source 1 x LED integrated, 8W
Kelvins 3000 - 6000K
Lumens 650lm
CRI [Ra] ≥ 90
Beam angle 36°
Dimmable YES
CCT YES
Type of control DALI



Texture & Materials







Sigma Niko Track Magnetic 10W CCT Bluetooth

Color/Code ● AZ7045 gold
● AZ7046 titan

Finish satin
Material aluminium
Voltage 48V
Light source 1 x LED integrated, 10W
Kelvins 3000 - 6000K
Lumens 600lm
CRI [Ra] ≥ 90
Beam angle 36°
Dimmable YES
CCT YES
Remote Control OPTION
Type of control BLUETOOTH



Texture & Materials




DALI


Sigma Niko Track Magnetic 10W CCT Dali

Color/Code ● AZ7175 gold
● AZ7176 titan

Finish satin
Material aluminium
Voltage 48V
Light source 1 x LED integrated, 10W
Kelvins 3000 - 6000K
Lumens 810lm
CRI [Ra] ≥ 90
Beam angle 36°
Dimmable YES
CCT YES
Type of control DALI



Texture & Materials



Platinum collection
EVIA TRACK MAGNETIC



DYSKRETNA ELEGANCJA

PL Sigma Evia (8W) to aluminiowa oprawa tubowa, która estetycznie nakłada się na szynę Sigma, tworząc subtelny detal wnętrza. Anodowane wykończenia w kolorze złotym i tytanowym podkreślają luksusowy charakter kolekcji, a możliwość pracy w systemach Bluetooth i DALI gwarantuje wygodę użytkownika.


DISCREET ELEGANCE

EN Sigma Evia (8W) is a tubular aluminium fixture that fits seamlessly onto the Sigma track, creating a subtle architectural detail. Anodized in gold or titan, it offers refined aesthetics with the convenience of Bluetooth and DALI compatibility.




Sigma Evia Track Magnetic 8W CCT Bluetooth

- Color/Code ● AZ7055 gold
● AZ7056 titan
- Finish brushed
- Material aluminium
- Voltage 48V
- Light source 1 x LED integrated, 8W
- Kelvins 3000 - 6000K
- Lumens 680lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Remote Control OPTION
- Type of control BLUETOOTH




Texture & Materials




DALI

Sigma Evia Track Magnetic 8W CCT Dalı

- Color/Code ● AZ7185 gold
● AZ7186 titan
- Finish satin
- Material aluminium
- Voltage 48V
- Light source 1 x LED integrated, 8W
- Kelvins 3000 - 6000K
- Lumens 700lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Type of control DALI



Texture & Materials



Platinum collection
CORA TRACK MAGNETIC



ŚWIATŁO AKCENTOWE

PL Sigma Cora (8W) to wyjątkowa oprawa, w której światło kierowane jest ku tyłowi, a przód zdobi metalowy talerz. Wykonana z aluminium i dostępna w anodowanych kolorach złotym i tytanowym, stanowi nieszablony element oświetlenia akcentowego, kompatybilny z systemami Bluetooth i DALI.


ACCENT LIGHTING

EN Sigma Cora (8W) is an aluminium accent fixture where the light shines backwards, while the front is finished with a decorative metal plate. Available in anodized gold or titan, and compatible with Bluetooth and DALI, it brings an unconventional highlight to interiors.




Sigma Cora Track Magnetic 8W CCT Bluetooth

Color/Code ● AZ7099 gold
● AZ7100 titan
Finish satin
Material aluminium
Voltage 48V
Light source 1 x LED integrated, 8W
Kelvins 3000 - 6000K
Lumens 250lm
CRI [Ra] ≥ 90
Beam angle 120°
Dimmable YES
CCT YES
Remote Control OPTION
Type of control BLUETOOTH



Texture & Materials




gold titan

DALI

Sigma Cora Track Magnetic 8W CCT Dali

Color/Code ● AZ7187 gold
● AZ7188 titan
Finish satin
Material aluminium
Voltage 48V
Light source 1 x LED integrated, 8W
Kelvins 3000 - 6000K
Lumens 250lm
CRI [Ra] ≥ 90
Beam angle 120°
Dimmable YES
CCT YES
Type of control DALI



Texture & Materials



gold titan



Platinum collection
ANGOLA TRACK MAGNETIC
ANGOLA PENDANT



KLASYKA SPOTYKA NOWOCZESNOŚĆ

PL Kolekcja Angola (12W) to wisząca oprawa tubowa o średnicy 4 cm, która łączy ponadczasową formę z nowoczesną technologią. Dostępna w wersji do systemu szynoprzewodów Sigma (Bluetooth / DALI) oraz jako wariant natynkowy z elegancką podsufitką. Smukła aluminiowa konstrukcja podkreśla minimalistyczny charakter lampy i sprawia, że doskonale komponuje się z różnymi aranżacjami.

CLASSIC MEETS MODERNITY


EN The Angola collection (10W, 15W)(12W) is a pendant tubular fixture with a 4 cm diameter, combining timeless form with modern technology. Available as a version for the Sigma track system (Bluetooth / DALI) or as a surface-mounted variant with an elegant ceiling rose. The slim aluminium body highlights the minimalist character of the lamp, making it a perfect fit for a wide range of interiors.



Sigma Angola Track Magnetic 12W CCT Bluetooth

Color/Code	● AZ7206 gold
	● AZ7204 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 12W
Kelvins	3000 - 6000K
Lumens	900lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH

Texture & Materials




gold

titan


DALI

Sigma Angola Track Magnetic 12W CCT Dalı

Color/Code	● AZ7207 gold
	● AZ7205 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 12W
Kelvins	3000 - 6000K
Lumens	900lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials




gold



titan





Angola Pendant
 Color/Code ● AZ7167 gold
 ● AZ7168 titan
 Finish satin
 Material aluminium
 Voltage 48V
 Light source 1 x LED integrated, 12W
 Lumens 900lm
 CRI [Ra] ≥ 90
 Beam angle 36°



Texture & Materials
 
 gold titan



Platinum collection
BIRMA PENDANT



Birma Pendant

Color/Code ● AZ7165 gold/satin
● AZ7166 titan/satin

Material aluminium

Voltage 230V

Light source 1 x LED integrated, 2W

Kelvins 3000K

Lumens 150lm

CRI [Ra] ≥ 90

Beam angle 36°

Texture & Materials


● gold ● titan

MINIMALIZM W WYJĄTKOWEJ FORMIE

PL Birma Pendant (2W) to smukła, anodowana tuba o średnicy zaledwie 1,2 cm i wysokości 60 cm. Dostępna w kolorze złotym i tytanowym, stanowi elegancki, subtelny akcent oświetleniowy. Jej minimalistyczna forma i oryginalny charakter sprawiają, że doskonale odnajduje się w nowoczesnych, luksusowych wnętrzach.

MINIMALISM IN A UNIQUE FORM

EN Birma Pendant (2W) is a slim anodized tube with a diameter of only 1.2 cm and a height of 60 cm. Available in gold and titan finishes, it serves as an elegant and subtle lighting accent. Its minimalist shape and original character make it a perfect fit for modern, luxurious interiors.



Platinum collection

BABIL CCT SWITCH



ŚWIATŁO W CZYSTEJ FORMIE

PL Kolekcja Babil (10W, 15W) to cylindryczne oprawy aluminiowe w trzech wykończeniach: złotym, tytanowym, brązie anodowanym. Wyposażone w zintegrowany moduł LED oraz funkcję CCT SWITCH, pozwalają wybrać barwę światła – ciepłą lub neutralną. Minimalistyczny design i elegancja czynią je ponadczasowym elementem wnętrza.

LIGHT IN ITS PURE FORM

EN The Babil collection (10W, 15W) features cylindrical aluminium fixtures in four finishes: gold, titan and anodized bronze. With an integrated LED module and CCT SWITCH function, the light color can be selected – warm or neutral. Minimalist design and elegance make Babil a timeless addition to interiors.


BABIL CCT SWITCH



Babil 10W CCT SWITCH

Color/Code ● AZ6552 gold/satin
● AZ6553 bronze/satin
● AZ7105 titan/satin
Material aluminium
Finish satin
Voltage 230V
Light source 1 x LED integrated, 10W
Kelvins 2940/4102K
Lumens 879lm
CRI [Ra] ≥ 90
Beam angle 36°
CCT YES
Type of control CCT SWITCH

Texture & Materials




Also available in Decorative Collection

○ AZ6554 white

Babil 15W CCT SWITCH

Color/Code ● AZ6555 gold
● AZ6556 bronze
● AZ7106 titan
Material aluminium
Finish satin
Voltage 230V
Light source 1 x LED integrated, 15W
Kelvins 2977/4039K
Lumens 1297lm
CRI [Ra] ≥ 90
Beam angle 36°
CCT YES
Type of control CCT SWITCH

Texture & Materials




Also available in Decorative Collection

○ AZ6557 white



Platinum collection

MALI 8W 3000K




MALI 8W 3000K

Platinum collection

Mali 8W 3000K

Color/Code ● AZ7154 gold/satin
● AZ7155 titan/satin
Material aluminium / PVC
Finish satin
Voltage 230V
Light source 1 x LED integrated, 8W
Kelvins 3000K
Lumens 640lm

Texture & Materials



Also available in Decorative Collection

- AZ7157 black
- AZ7156 white

MINIMALISTYCZNE ŚWIATŁO


PL Kolekcja Mali to cylindryczne oprawy o czystej, nowoczesnej formie. Prosty design i dopracowane wykończenia podkreślają ich elegancki charakter. Zintegrowane źródło LED o barwie 3000K emituje przyjemne, ciepłe światło. Cofnięty dyfuzor zapewnia równomierne rozproszenie i wysoki komfort użytkowania. Idealne jako pojedynczy punkt lub w kompozycjach.

MINIMAL LIGHT

EN The Mali collection features clean, cylindrical fixtures with a modern aesthetic. Refined finishes enhance their elegant look. The integrated 3000K LED provides a warm, comfortable glow, while the recessed diffuser ensures soft and even light distribution. Perfect as a single fixture or in grouped arrangements.



LIMAN CCT SWITCH



SUBTELNA GEOMETRIA

PL Seria Liman (6W, 10W) to aluminiowe tuby z eleganckim detalem akrylowym, dostępne w anodowanym kolorze złotym. Zintegrowany LED oraz funkcja CCT SWITCH umożliwiają wybór barwy światła (cieplej lub neutralnej). Prosta forma i szlachetne wykończenie sprawiają, że Liman doskonale uzupełnia współczesne aranżacje.

SUBTLE GEOMETRY

EN The Liman series (6W, 10W) offers aluminium tubular fixtures with an elegant glass detail, available in anodized gold finishes. Featuring integrated LED and CCT SWITCH function, they allow choosing between warm and neutral light. Simple form and refined finish make Liman a perfect complement to modern interiors.




Liman 6W CCT SWITCH

Color/Code ● AZ6549 gold
Material aluminium/acryl
Finish satin
Voltage 230V
Light source 1 x LED integrated, 6W
Kelvins 2888/3978K
Lumens 723lm
CRI [Ra] ≥ 90
Beam angle 70°
CCT YES
Type of control CCT SWITCH

Texture & Materials



gold



Also available in Decorative Collection

● AZ6548 black


Liman 10W CCT SWITCH

Color/Code ● AZ6551 gold
Material aluminium/acryl
Finish satin
Voltage 230V
Light source 1 x LED integrated, 10W
Kelvins 2909/3959K
Lumens 1095lm
CRI [Ra] ≥ 90
Beam angle 70°
CCT YES
Type of control CCT SWITCH

Texture & Materials



gold



Also available in Decorative Collection

● AZ6550 black



Platinum collection
ALTUN WALL



ŚWIATŁO POD KONTROLĄ

PL Altun Wall (3W) to kinkiet z regulowanym reflektorem i włącznikiem w obudowie. Dostępny w anodowanych kolorach brązowym, złotym i tytanowym, umożliwia tworzenie precyzyjnych akcentów świetlnych, łącząc praktyczność z wyrafinowanym stylem.


LIGHT UNDER CONTROL

EN Altun Wall (3W) is an aluminium wall lamp with an adjustable spotlight and an integrated switch. Available in anodized bronze, gold and titan finishes, it allows for precise accent lighting with a refined aesthetic.



Altun Wall

- Color/Code ● AZ6561 bronze
- AZ6560 gold
- AZ7107 titan
- Finish satin
- Material aluminium
- Voltage 230V
- Light source 1 x LED integrated, 3W
- Kelvins 3033K
- Lumens 206lm
- CRI [Ra] ≥ 90
- Beam angle 36°




Texture & Materials



bronze gold titan



Platinum collection
MORONI WALL




ELEGANCKI MINIMALIZM

PL Moroni Wall (6W) to aluminiowa oprawa ścienna o prostej, szlachetnej formie. Dostępna w anodowanych wykończeniach złotym i tytanowym, wyposażona w zintegrowany moduł LED. Minimalistyczny design sprawia, że Moroni Wall jest subtelną i wyrafinowaną propozycją do nowoczesnych wnętrz.

MINIMALISM OF ELEGANCE

EN Moroni Wall (6W) is an aluminium wall fixture with a refined, simple design. Available in anodized gold and titan finishes, it comes with an integrated LED module. Its minimalist character makes Moroni Wall a subtle and sophisticated choice for contemporary interiors.




Moroni Wall

Color/Code	● AZ7169 gold
	● AZ7170 titan
Finish	satin
Material	aluminium
Voltage	230V
Light source	2 x LED integrated, 2 x 3W
Kelvins	3000K
Lumens	450lm
CRI [Ra]	≥ 90
Beam angle	36°




Texture & Materials



gold titan






Platinum collection
ALEXANDRIA WALL



Alexandria Wall

Color/Code	● AZ6559 gold ● AZ7171 titan
Material	aluminium/acryl
Finish	satin
Voltage	230V
Light source	1 x LED integrated, 8W
Kelvins	2958K
Lumens	357lm
CRI [Ra]	≥ 90
Beam angle	360°

Texture & Materials



Also available in Decorative Collection

- AZ6558 black

KLASYKA ŚWIATŁA

PL Alexandria Wall (8W) to kinkiet, w którym gruby akryl rozprasza światło w stronę ściany, tworząc subtelny efekt akcentowy. Anodowane wykończenia w kolorze złotym i tytanowym podkreślają elegancki charakter oprawy, łączącej klasyczne piękno z nowoczesną technologią LED.

THE CLASSIC OF LIGHT

EN Alexandria Wall (8W) is a wall lamp where thick glass reflects light backwards, creating a subtle accent effect. With anodized gold and titan finishes, and an aluminium body with integrated LED, it unites timeless elegance with modern technology.



RESERVATIONS
TECHNOLOGICAL changes and limitations

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

We can paint the lamps in any RAL colour subject to an extra charge.
Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

RESERVATIONS
TECHNOLOGICAL changes and limitations

2 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 2 years is given for the driver for LED lamps and light modules (with diodes).

The warranty is counted from the day of purchase, confirmed by a bill or an invoice.
2 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 2 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

2 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

2 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.

Ra (CRI) - Colour Rendering Index EU standard - Ra ≥ 80
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw Standard UE - Ra ≥ 80
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI) - Index podania farieb Štandard EU - Ra ≥ 80
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI) - Index podání barev Standard EU - Ra ≥ 80
Nejlepší index podání barev Ra(CRI)=100